

CONSTRUCTION EQUIPMENT

F03243 JB LANAGAN AF VOLVO EC380D 210273 - HYDRAULICSYS

Sample No: VCP440525 Oil Type: {unknown}

Particles > 14µm

ISO 4406:1999 (c)

ppm

ppm

ppm

Silicon

Sodium

Potassium

Job No: F03243 JB LANAGAN AF

| SAMPLE II | NFORMATION | | | |
|------------------|------------|--------------|-------------|------|
| Sample Number | - | VCP440525 | VCP441228 | |
| Sample Date | | 26 Apr 2024 | 25 Apr 2024 | |
| Machine Hours | | 9747 | 9747 | |
| Oil Hours | | 0 | 0 | |
| Oil Changed | | N/A | N/A | |
| Sample Status | | NORMAL | NORMAL | |
| | | | | |
| OIL CONDI | TION | | | |
| Visc @ 40°C | cSt | 44.9 | 45.0 | |
| Acid Number (AN) | mg KOH/g | ■ 0.32 | ■0.37 | |
| | | | | |
| CONTAMI | NATION | | | |
| Water | % | NEG | NEG | |
| Particles >4µm | | 22802 | □ 15122 | |
| Particles >6µm | | 6235 | 2772 | |

■336

0

- < 1

0

22/20/16

| WEAR METALS | | | | | | | | |
|-------------|-----|------------|-------------|--|--|--|--|--|
| Iron | ppm | ■0 | □0 | | | | | |
| Copper | ppm | ■ 0 | - <1 | | | | | |
| Lead | ppm | 0 | 0 | | | | | |
| Tin | ppm | ■ 0 | 0 | | | | | |
| Aluminum | ppm | 0 | 0 | | | | | |
| Chromium | ppm | ■ 0 | 0 | | | | | |
| Molybdenum | ppm | 0 | 0 | | | | | |
| Nickel | ppm | ■ 0 | 0 | | | | | |
| Titanium | ppm | 0 | 0 | | | | | |
| Silver | ppm | 0 | 0 | | | | | |
| Manganese | ppm | 0 | 0 | | | | | |
| Vanadium | ppm | 0 | 0 | | | | | |

278

0

- < 1

0

21/19/15

| ADDITIVES | | | | | | | |
|------------|-----|-----|-----|--|--|--|--|
| Calcium | ppm | 54 | 58 | | | | |
| Magnesium | ppm | <1 | <1 | | | | |
| Zinc | ppm | 426 | 426 | | | | |
| Phosphorus | ppm | 336 | 335 | | | | |
| Barium | ppm | 0 | 0 | | | | |
| Boron | ppm | 0 | 0 | | | | |



CHADWICK-BAROSS INC

31 JAMES P. MURPHY INDUSTRIAL HWY WEST WARWICK, RI US 02893 Contact: NORMAN VINCENT norman.vincent@chadwick-baross.com T: (401)328-6967

Diagnosis

Resample at the next service interval to monitor. (after).All component wear rates are normal. The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Depot: **CHAWESRI Unique No:** 11004992 Signed: Don Baldridge Report Date: 02 May 2024



CONSTRUCTION EQUIPMENT





GRAPHS

