



# CONSTRUCTION EQUIPMENT

## SWO-071763 VOLVO A60H 340039 - FRONT RIGHT FINAL DRIVE



**Sample No:** VCP450913  
**Oil Type:** GEAR OIL SAE 80W140  
**Job No:** SWO-071763



### SAMPLE INFORMATION

Sample Number	<b>VCP450913</b>	VCP441432	VCP428986	VCP412654
Sample Date	<b>07 May 2024</b>	18 Jan 2024	27 Sep 2023	20 Jun 2023
Machine Hours	<b>9022</b>	8521	8052	7542
Oil Hours	<b>0</b>	0	0	0
Oil Changed	<b>Not Chngd</b>	Not Chngd	Changed	Not Chngd
Sample Status	<b>ABNORMAL</b>	NORMAL	NORMAL	NORMAL

### SAIIA CONSTRUCTION LLC

4400 LEWISBURG RD  
 BIRMINGHAM, AL  
 US 35207

Contact: STEPHANI BRITTON  
 sbritton@saiia.com;doug.bogart@wearcheck.com  
 T: (205)943-2268  
 F: (205)943-2269



### OIL CONDITION

Visc @ 40°C	cSt	<b>224</b>	282	275	276
-------------	-----	------------	-----	-----	-----



### CONTAMINATION

Water	%	NEG	NEG	NEG	NEG
Silicon	ppm	<b>7</b>	3	3	3
Sodium	ppm	<b>0</b>	2	<1	<1
Potassium	ppm	<b>2</b>	1	1	0

### Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. The copper level is abnormal. All other component wear rates are normal. There is no indication of any contamination in the oil. The condition of the oil is acceptable for the time in service.



### WEAR METALS

Iron	ppm	<b>17</b>	10	24	34
Copper	ppm	<b>55</b>	0	<1	0
Lead	ppm	<b>&lt;1</b>	0	0	0
Tin	ppm	<b>&lt;1</b>	<1	<1	0
Aluminum	ppm	<b>2</b>	0	0	0
Chromium	ppm	<b>&lt;1</b>	0	<1	<1
Molybdenum	ppm	<b>7</b>	6	2	3
Nickel	ppm	<b>1</b>	<1	0	<1
Titanium	ppm	<b>&lt;1</b>	0	0	0
Silver	ppm	<b>0</b>	0	0	0
Manganese	ppm	<b>&lt;1</b>	<1	<1	<1
Vanadium	ppm	<b>&lt;1</b>	0	0	0



### ADDITIVES

Calcium	ppm	<b>726</b>	99	67	80
Magnesium	ppm	<b>35</b>	35	14	19
Zinc	ppm	<b>368</b>	95	24	42
Phosphorus	ppm	<b>996</b>	773	912	1022
Barium	ppm	<b>2</b>	<1	0	0
Boron	ppm	<b>149</b>	135	149	188

**Depot:** SAIBIR  
**Unique No:** 11021950  
**Signed:** Sean Felton  
**Report Date:** 14 May 2024



# CONSTRUCTION EQUIPMENT



## GRAPHS

