



CONSTRUCTION EQUIPMENT

12621 METAL TECH VOLVO L180H 5339 - REAR AXLE



Sample No: VCP454447
Oil Type: VOLVO WB 102
Job No: 12621 METAL TECH



SAMPLE INFORMATION

Sample Number	VCP454447	---	---	---
Sample Date	06 May 2024	---	---	---
Machine Hours	9379	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	ABNORMAL	---	---	---

HOFFMAN EQUIPMENT - LIONVILLE

120 GORDON DRIVE
 LIONVILLE, PA
 US 19341
 Contact: JIM FEHR
 jim.fehr@hoffmanequip.com
 T: (610)363-9200
 F: (610)594-0829



OIL CONDITION

Visc @ 40°C	cSt	█ 44.1	---	---	---
-------------	-----	--------	-----	-----	-----



CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 20	---	---	---
Sodium	ppm	█ 1	---	---	---
Potassium	ppm	█ 0	---	---	---



WEAR METALS

Iron	ppm	█ 14	---	---	---
Copper	ppm	█ <1	---	---	---
Lead	ppm	█ 0	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 5	---	---	---
Chromium	ppm	█ 0	---	---	---
Molybdenum	ppm	█ 5	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	1	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ <1	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 3468	---	---	---
Magnesium	ppm	█ 63	---	---	---
Zinc	ppm	█ 1465	---	---	---
Phosphorus	ppm	█ 1174	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 116	---	---	---

Diagnosis

No corrective action is recommended at this time. Resample at the next service interval to monitor. All component wear rates are normal. Moderate concentration of visible dirt/debris present in the oil. The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.

Depot: VOLVO8879
Unique No: 11034537
Signed: Angela Borella
Report Date: 21 May 2024




CONSTRUCTION EQUIPMENT



GRAPHS


Iron (ppm)




Lead (ppm)



Aluminum (ppm)



Chromium (ppm)




Copper (ppm)



Silicon (ppm)



Viscosity @ 40°C



Additives

