



# CONSTRUCTION EQUIPMENT

## VOLVO A40G 352 122 - TRANSMISSION (AUTO)



**Sample No:** VCP423888

**Oil Type:** DEXRON III

**Job No:**



### SAMPLE INFORMATION

Sample Number	VCP423888	---	---	---
Sample Date	02 May 2024	---	---	---
Machine Hours	1249	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	NORMAL	---	---	---

117 - ASCENDUM MACHINERY INC - GREENVILLE  
 2002 N GREENE ST  
 GREENVILLE, NC  
 US 27834  
 Contact: ALLEN WILLIAMS  
 allen.williams@ascendummachinery.com  
 T:  
 F: (704)494-8197



### OIL CONDITION

Visc @ 40°C	cSt	█ 28.9	---	---	---
-------------	-----	--------	-----	-----	-----



### CONTAMINATION

Water	%	NEG	---	---	---
Silicon	ppm	█ 3	---	---	---
Sodium	ppm	█ 5	---	---	---
Potassium	ppm	█ 2	---	---	---

### Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the fluid. The condition of the fluid is acceptable for the time in service.



### WEAR METALS

Iron	ppm	█ 11	---	---	---
Copper	ppm	█ 20	---	---	---
Lead	ppm	█ <1	---	---	---
Tin	ppm	█ 2	---	---	---
Aluminum	ppm	█ 6	---	---	---
Chromium	ppm	█ 0	---	---	---
Molybdenum	ppm	█ 4	---	---	---
Nickel	ppm	█ 2	---	---	---
Titanium	ppm	<1	---	---	---
Silver	ppm	█ <1	---	---	---
Manganese	ppm	█ <1	---	---	---
Vanadium	ppm	<1	---	---	---



### ADDITIVES

Calcium	ppm	█ 217	---	---	---
Magnesium	ppm	█ 36	---	---	---
Zinc	ppm	█ 59	---	---	---
Phosphorus	ppm	█ 371	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 96	---	---	---

**Depot:** VOLVO8769  
**Unique No:** 11056627  
**Signed:** Sean Felton  
**Report Date:** 31 May 2024



# CONSTRUCTION EQUIPMENT




## GRAPHS

### Iron (ppm)




### Lead (ppm)



### Aluminum (ppm)




### Chromium (ppm)




### Copper (ppm)



### Silicon (ppm)



### Viscosity @ 40°C



### Additives

