



CONSTRUCTION EQUIPMENT

CITY OF TAMPA VOLVO L120H 632838 - HYDRAULIC SYSTEM



Sample No: VCP454846
Oil Type: VOLVO SUPER HYDRAULIC OIL 46
Job No: CITY OF TAMPA



ALTA EQUIPMENT/FLAGLER CONSTRUCTION EQUIPMENT LLC
8418 PALM RIVER ROAD
TAMPA, FL
US 33619
Contact: KENNY HANEY
khaney@flaglerce.com
T: (813)630-0077
F: (813)630-2233



SAMPLE INFORMATION

Sample Number	VCP454846	---	---	---
Sample Date	07 May 2024	---	---	---
Machine Hours	3855	---	---	---
Oil Hours	0	---	---	---
Oil Changed	Not Chngd	---	---	---
Sample Status	ABNORMAL	---	---	---



OIL CONDITION

Visc @ 40°C	cSt	█ 40.7	---	---	---
Acid Number (AN)	mg KOH/g	█ 0.29	---	---	---



CONTAMINATION

Water	%	NEG	---	---	---
Particles >4µm		█ 19553	---	---	---
Particles >6µm		● 4929	---	---	---
Particles >14µm		▲ 298	---	---	---
ISO 4406:1999 (c)		21/19/15	---	---	---
Silicon	ppm	█ 7	---	---	---
Sodium	ppm	█ 2	---	---	---
Potassium	ppm	█ <1	---	---	---



WEAR METALS

Iron	ppm	█ 11	---	---	---
Copper	ppm	█ 4	---	---	---
Lead	ppm	█ 3	---	---	---
Tin	ppm	█ <1	---	---	---
Aluminum	ppm	█ <1	---	---	---
Chromium	ppm	█ 4	---	---	---
Molybdenum	ppm	█ 3	---	---	---
Nickel	ppm	█ <1	---	---	---
Titanium	ppm	0	---	---	---
Silver	ppm	0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 103	---	---	---
Magnesium	ppm	█ 12	---	---	---
Zinc	ppm	█ 449	---	---	---
Phosphorus	ppm	█ 332	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ <1	---	---	---

Diagnosis

We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid. We recommend an early resample to monitor this condition. All component wear rates are normal. There is a moderate amount of particulates (2 to 100 microns in size) present in the oil. The AN level is acceptable for this fluid. The oil is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

Depot: VOLVO0093
Unique No: 11057475
Signed: Wes Davis
Report Date: 31 May 2024




CONSTRUCTION EQUIPMENT




GRAPHS

Ferrous Alloys




Non-ferrous Metals



Viscosity @ 40°C



Particle Count



Acid Number

