CONSTRUCTION EQUIPMENT
717783 CARLETON IRON   SENNEBOGEN 825 825.0.3362 - DIESEL ENGINE

Sample No: VCP452665

Oil Type: VOLVO ULTRA DIESEL ENGINE OIL 15W40 VDS-3

Job No: 717783 CARLETON IRON

SAMPLE INFORMATION

Sample Number		**VCP452665**	VCP415291	---	---
Sample Date		**10 Jun 2024**	08 Aug 2023	---	---
Machine Hours		**2496**	2035	---	---
Oil Hours		**500**	500	---	---
Oil Changed		**Changed**	Changed	---	---
Sample Status		**NORMAL**	ATTENTION	---	---

OIL CONDITION

Visc @ 100°C	cSt	**12.5**	12.2	---	---
Base Number (BN)	mg KOH/g	**8.1**	8.8	---	---
Oxidation (PA)	%	**58**	63	---	---

CONTAMINATION

Water	%	**NEG**	NEG	---	---
Soot %	%	**0.1**	0.1	---	---
Nitration (PA)	%	**58**	59	---	---
Sulfation (PA)	%	**50**	54	---	---
Glycol	%	**NEG**	NEG	---	---
Fuel	%	**<1.0**	⚠ 2.0	---	---
Silicon	ppm	**2**	4	---	---
Sodium	ppm	**1**	<1	---	---
Potassium	ppm	**<1**	0	---	---

WEAR METALS

Iron	ppm	**13**	16	---	---
Copper	ppm	**<1**	<1	---	---
Lead	ppm	**0**	<1	---	---
Tin	ppm	**0**	0	---	---
Aluminum	ppm	**<1**	<1	---	---
Chromium	ppm	**0**	0	---	---
Molybdenum	ppm	**56**	60	---	---
Nickel	ppm	**0**	0	---	---
Titanium	ppm	**0**	0	---	---
Silver	ppm	**0**	0	---	---
Manganese	ppm	**0**	<1	---	---
Vanadium	ppm	**0**	0	---	---

ADDITIVES

Calcium	ppm	**1056**	1195	---	---
Magnesium	ppm	**929**	1028	---	---
Zinc	ppm	**1181**	1332	---	---
Phosphorus	ppm	**999**	1034	---	---
Barium	ppm	**0**	0	---	---
Boron	ppm	**0**	2	---	---

ALTA EQUIPMENT COMPANY - METRO WEST
56195 PONTIAC TRAIL
NEW HUDSON, MI
US 48165
Contact: PAUL CONZ
paul.conz@altg.com
T: (313)348-8861
F: (248)356-2029

Diagnosis

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot: VOLVO2990
Unique No: 11087222
Signed: Don Baldridge
**Report Date:** 21 Jun 2024

GRAPHS

Iron (ppm)


Lead (ppm)

### Aluminum (ppm)

Chromium (ppm)

Copper (ppm)

Silicon (ppm)

Viscosity @ 100°C

Base Number