



CONSTRUCTION EQUIPMENT

VOLVO A45G 352231 - DIESEL ENGINE



Sample No: VCP0008479
Oil Type: DIESEL ENGINE OIL SAE 40
Job No:



SAMPLE INFORMATION

Sample Number	VCP0008479	---	---	---
Sample Date	27 Jun 2024	---	---	---
Machine Hours	8101	---	---	---
Oil Hours	8101	---	---	---
Oil Changed	N/A	---	---	---
Sample Status	NORMAL	---	---	---

ALTA EQUIPMENT COMPANY
 8750 PHILIPS HWY
 JACKSONVILLE, FL
 US 32256
 Contact: TECHNICIAN ACCOUNT
 catherine.anastasio@wearcheck.com
 T:
 F: (904)737-1260



OIL CONDITION

Visc @ 100°C	cSt	█ 13.0	---	---	---
Base Number (BN)	mg KOH/g	█ 8.8	---	---	---
Oxidation (PA)	%	51	---	---	---

Diagnosis

Resample at the next service interval to monitor. The fluid was not specified, however, a fluid match indicates that this fluid is (GENERIC) DIESEL ENGINE OIL SAE 40. Please confirm.
 Metal levels are typical for a components first oil change. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.



CONTAMINATION

Water	%	NEG	---	---	---
Soot %	%	█ 0.1	---	---	---
Nitration (PA)	%	43	---	---	---
Sulfation (PA)	%	49	---	---	---
Glycol	%	NEG	---	---	---
Fuel	%	<1.0	---	---	---
Silicon	ppm	█ 5	---	---	---
Sodium	ppm	█ <1	---	---	---
Potassium	ppm	█ 1	---	---	---



WEAR METALS

Iron	ppm	█ 3	---	---	---
Copper	ppm	█ 6	---	---	---
Lead	ppm	█ 0	---	---	---
Tin	ppm	█ 0	---	---	---
Aluminum	ppm	█ 3	---	---	---
Chromium	ppm	█ <1	---	---	---
Molybdenum	ppm	█ 65	---	---	---
Nickel	ppm	█ 0	---	---	---
Titanium	ppm	█ 0	---	---	---
Silver	ppm	█ 0	---	---	---
Manganese	ppm	█ 0	---	---	---
Vanadium	ppm	0	---	---	---



ADDITIVES

Calcium	ppm	█ 1163	---	---	---
Magnesium	ppm	█ 653	---	---	---
Zinc	ppm	█ 1139	---	---	---
Phosphorus	ppm	█ 986	---	---	---
Barium	ppm	█ 0	---	---	---
Boron	ppm	█ 160	---	---	---

Depot: VOLVO0092
Unique No: 11110476
Signed: Wes Davis
Report Date: 03 Jul 2024




CONSTRUCTION EQUIPMENT




GRAPHS

Ferrous Alloys



Non-ferrous Metals



Viscosity @ 100°C



Base Number

