



BILL MORREL 808492 VOLVO PENTA 2071183401 - STARBOARD DIESEL ENGINE

Sample No: VPA044889

Oil Type: VOLVO PENTA SAE 15W40

| SAMPLE INFORMAT | TION | | | |
|------------------|----------|-------------------|------|--|
| | | VD4044000 | | |
| Sample Number | | VPA044889 | | |
| Sample Date | | 29 Jun 2023 | | |
| Machine Hours | | 680 | | |
| Oil Hours | | 50 | | |
| Oil Changed | | Changed | | |
| Sample Status | | NORMAL | | |
| OIL CONDITION | | | | |
| Visc @ 100°C | cSt | 14.3 | | |
| Base Number (BN) | mg KOH/g | 7.9 | | |
| Oxidation (PA) | % | 71 | | |
| ` ' | | | | |
| CONTAMINATION | | | | |
| Soot % | % | ■ 0.4 | | |
| Nitration (PA) | % | 56 | | |
| Sulfation (PA) | % | 58 | | |
| Glycol | % | NEG | | |
| Fuel | % | <1.0 | | |
| Silicon | | 1.0 | | |
| | ppm | _ | | |
| Sodium | ppm | 2 | | |
| Potassium | ppm | ■9 | | |
| WEAR METALS | | | | |
| Iron | ppm | 6 | | |
| Copper | ppm | 10 | | |
| Lead | ppm | ■<1 | | |
| Tin | ppm | <1 | | |
| Aluminum | ppm | ■ <1 | | |
| Chromium | ppm | 1 | | |
| Molybdenum | | | | |
| Nickel | ppm | ■ <1 | | |
| | ppm | 2 | | |
| Titanium | ppm | ■ 0 | | |
| Silver | ppm | ■0 | | |
| Manganese | ppm | ■ <1 | | |
| Vanadium | ppm | <1 | | |
| ADDITIVES | | | | |
| Calcium | ppm | ■2236 | | |
| Magnesium | ppm | ■ 18 | | |
| Zinc | ppm | 1178 | | |
| Phosphorus | ppm | ■948 | | |
| Barium | ppm | ■ <1 | | |
| Boron | ppm | 194 | | |
| DOTOTI | PPIII | _ 1J 7 | | |

Power Products Systems LLC

432 Warren Avenue, 432 Warren Ave. PORTLAND, ME US 04103 Contact: Cody Clemens cclemens@powerprodsys.com T:

Diagnosis

F:

Resample at the next service interval to monitor. All component wear rates are normal. There is no indication of any contamination in the oil. The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is acceptable for the time in service.

Depot:VP153549Unique No:10546807Signed:Don BaldridgeReport Date:07 Jul 2023

OIL ANALYSIS REPORT



