

OIL ANALYSIS REPORT

Area Hydraulics Machine Id PRESS #2

Component Hydraulic System Fluid SUNOCO SUNVIS 846 ISO 46 (550 GAL)

DIAGNOSIS

Recommendation

We recommend you service the filters on this component. We recommend an early resample to monitor this condition.

Wear

Analytical ferrography shows trace amounts of rubbing wear, sand, and dirt.

Contaminants

There is a moderate amount of silt (particulates 5 to 15 microns in size) present in the oil.

Oil Condition

The condition of oil is suitable for further service.

Sample Rating Trend



ISO

n 1991 Aug 1992 Apri 993 Aug 1993 Dec 1993 Apri 994 Apri 997 Feb 1998 Aug 1999 Jul2

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number		Client Info		WC0069861	WC00069844	WC0055478
Sample Date		Client Info		25 Jul 2000	08 Jun 2000	22 Feb 2000
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status						
CONTAMINATION	N	method	limit/base	current	history1	history2
Water		WC Method		NEG	NEG	NEG
SAMPLE IMAGES		method	limit/base	current	history1	history2
Color				no image	no image	no image
Bottom				no image	no image	no image

EA

Area Hydraulics

FERROGRAPHY REPORT

PRESS #2 Component Hydraulic System Fluid SUNOCO SUNVIS 846 ISO 46 (550 GAL)

FERROGRAPHY		method	limit/base	current	history1	history2
Ferrous Rubbing	Scale 0-10	ASTM D7684*		1	1	2
Ferrous Sliding	Scale 0-10	ASTM D7684*				
Ferrous Cutting	Scale 0-10	ASTM D7684*				
Ferrous Rolling	Scale 0-10	ASTM D7684*				
Ferrous Break-in	Scale 0-10	ASTM D7684*				
Ferrous Spheres	Scale 0-10	ASTM D7684*				
Ferrous Black Oxides	Scale 0-10	ASTM D7684*		1	1	1
Ferrous Red Oxides	Scale 0-10	ASTM D7684*				
Ferrous Corrosive	Scale 0-10	ASTM D7684*			1	
Ferrous Other	Scale 0-10	ASTM D7684*				
Nonferrous Rubbing	Scale 0-10	ASTM D7684*				
Nonferrous Sliding	Scale 0-10	ASTM D7684*				
Nonferrous Cutting	Scale 0-10	ASTM D7684*				
Nonferrous Rolling	Scale 0-10	ASTM D7684*				
Nonferrous Other	Scale 0-10	ASTM D7684*				
Carbonaceous Material	Scale 0-10	ASTM D7684*				
Lubricant Degradation	Scale 0-10	ASTM D7684*			2	
Sand/Dirt	Scale 0-10	ASTM D7684*		1	1	A 2
Fibres	Scale 0-10	ASTM D7684*		1	1	
Spheres	Scale 0-10	ASTM D7684*				
Other	Scale 0-10	ASTM D7684*				

WEAR

Analytical ferrography shows trace amounts of rubbing wear, sand, and dirt.

