

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL



FMC36297 GUN BARREL HOUSING

Hydraulic System

ROYAL ROYCO 717 (99 GAL)

ΙΛ.		10	0	10
IΑ	G١	ИC.	.5	5
100	\sim	~		\cdot

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the component. The amount and size of particulates present in the system is acceptable. NAS 1638 class 5.


Fluid Condition

The condition of oil is suitable for further service.

CAMPLE INFORM	AATION	and the sale			la facilità di modi	h'-1 O
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC02010153		
Sample Date		Client Info		14 Aug 2007		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m		<1		
Chromium	ppm	ASTM D5185m		0		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m		<1		
Lead	ppm	ASTM D5185m		0		
Copper	ppm	ASTM D5185m		0		
Tin	ppm	ASTM D5185m		0		
Antimony	ppm	ASTM D5185m		0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	nnm	ASTM D5185m	IIIIII/Dase	0		
Barium	ppm	ASTM D5185m		<1		
	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm			0		
Magnesium	ppm	ASTM D5185m				
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		621		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		151		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		11		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m		0		
Water	%	ASTM D6304		0.009		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		2019		
Particles >6µm		ASTM D7647		356		
Particles >14µm		ASTM D7647		19		
Particles >21µm		ASTM D7647		6		
Particles >38µm		ASTM D7647		1		
Particles >71µm		ASTM D7647		0		
Oil Cleanliness		ISO 4406 (c)		18/16/11		
FLUID DEGRADA	ATION _	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.063		



OIL ANALYSIS REPORT







Laboratory Sample No.

Lab Number : 02010153 Unique Number : 4188906

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : WC02010153

Received **Tested** Test Package : IND 2 (Additional Tests: KF)

: 14 Aug 2007 : 15 Aug 2007 Diagnosed

: 16 Aug 2007 - Doug Bogart

BAE SYSTEMS 163 ROCHESTER DR LOUISVILLE, KY US 40214

Contact: KEN MAHONEY ken.mahoney@baesystems.com

Contact/Location: KEN MAHONEY - BAELOU

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. T: (502)364-6439 F: (502)364-5973

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)