

OIL ANALYSIS REPORT

MANITOU FALLS GS FP2G3

Component **Governor System** Fluid ESSO TERESSO ISO 46 (--- GAL)

Recommendation

Resample at the next service interval to monitor. NOTE: Please provide information regarding reservoir capacity, filter type and micron rating with next sample.

Wear


All component wear rates are normal.

Contamination

The system cleanliness is acceptable for your target ISO 4406 cleanliness code. The system and fluid cleanliness is acceptable.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.







NORMAL


SAMPLE INFORM	1ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0806468	WC0560639	WC0481714
Sample Date		Client Info		09 May 2023	29 Mar 2021	08 Jul 2020
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
PQ		ASTM D8184*		0		0
Iron	ppm	ASTM D5185(m)	>50	<1	2	2
Chromium	ppm	ASTM D5185(m)	>10	0	0	0
Nickel	ppm	ASTM D5185(m)	>10	0	<1	0
Titanium	ppm	ASTM D5185(m)		0	0	0
Silver	ppm	ASTM D5185(m)		0	0	0
Aluminum	ppm	ASTM D5185(m)	>3	<1	<1	0
Lead	ppm	ASTM D5185(m)	>75	0	<1	<1
Copper	ppm	ASTM D5185(m)	>15	0	<1	0
Tin	ppm	ASTM D5185(m)	>55	0	0	0
Antimony	ppm	ASTM D5185(m)	>5	<1	0	0
Vanadium	ppm	ASTM D5185(m)		0	0	0
Beryllium	ppm	ASTM D5185(m)		0	0	0
Cadmium	ppm	ASTM D5185(m)		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)	0	0	<1	<1
Barium	ppm	ASTM D5185(m)		0	<1	0
Molybdenum	ppm	ASTM D5185(m)	0	0	0	0
Manganese	ppm	ASTM D5185(m)		0	0	0
Magnesium	ppm	ASTM D5185(m)	0	0	<1	<1
Calcium	ppm	ASTM D5185(m)		0	<1	1
Phosphorus	ppm	ASTM D5185(m)	2.4	<1	3	4
Zinc	ppm	ASTM D5185(m)	0	1	1	1
Sulfur	ppm	ASTM D5185(m)		795	1944	1884
Lithium	ppm	ASTM D5185(m)		<1	<1	<1
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>8	<1	<1	1
Sodium	ppm	ASTM D5185(m)		0	<1	<1
Potassium	ppm	ASTM D5185(m)	>20	0	<1	<1




OIL ANALYSIS REPORT







FLUID CLEANLINES	S n	nethod	limit/base	current	history1	history2
Particles >4µm	AS	TM D7647	>20000	467	5542	8676
Particles >6µm	AS	TM D7647	>5000	34	448	699
Particles >14µm	AS	TM D7647	>640	3	6	8
Particles >21µm	AS	TM D7647	>160	1	0	2
Particles >38µm	AS	TM D7647	>40	0	0	0
Particles >71µm	AS	TM D7647	>10	0	0	0
Oil Cleanliness	ISC	O 4406 (c)	>21/19/16	16/12/9	20/16/10	20/17/10
FLUID DEGRADATIC	DN n	nethod	limit/base	current	history1	history2
Acid Number (AN) mg	KOH/g AS	TM D974*	0.02	0.08	0.06	0.13
VISUAL	n	nethod	limit/base	current	history1	history2
White Metal sc	alar Vi	sual*	NONE	NONE	NONE	NONE
Yellow Metal sc	alar Vi	sual*	NONE	NONE	NONE	NONE
Precipitate sc	alar Vi	sual*	NONE	NONE	NONE	NONE
Silt sc	alar Vi	sual*	NONE	NONE	NONE	NONE
Debris sc	alar Vi	sual*	NONE	NONE	NONE	NONE
Sand/Dirt sc	alar Vi	sual*	NONE	NONE	NONE	NONE
Appearance sc	alar Vi	sual*	NORML	NORML	NORML	NORML
Odor sc	alar Vi	sual*	NORML	NORML	NORML	NORML
Emulsified Water sc	alar Vi	sual*	>0.1	NEG	NEG	NEG
Free Water sc	alar Vi	sual*		NEG	NEG	NEG
FLUID PROPERTIES	i n	nethod	limit/base	current	history1	history2
Visc @ 40°C cS	it AST	TM D7279(m)	46	45.7	46.2	45.5
SAMPLE IMAGES	n	nethod	limit/base	current	history1	history2



Ontario Power Generation : WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 Sample No. : WC0806468 Received : 23 May 2023 KENORA PRODUCTION CENTRE, 200-60 FOURTEENTH ST N. Ë Lab Number : 02558984 Diagnosed : 25 May 2023 KENORA, ON ISO 17025:2017 Accredited Laboratory Unique Number : 5580024 Diagnostician : Wes Davis CA P9N 4M9 Test Package : IND 2 (Additional Tests: PrtCount, TAN Man) Contact: Josh Robinson To discuss this sample report, contact Customer Service at 1-800-268-2131. josh.robinson@opg.com Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Т: Validity of results and interpretation are based on the sample and information as supplied. F:

Color

Bottom