

## **FUEL REPORT**

#### Sample Rating Trend

ISO

### Machine Id 0J029996

Component Diesel Fuel Fluid No.2 DIESEL FUEL (LOW-SULPHUR) (--- GAL)

#### DIAGNOSIS

#### Recommendation

Laboratory test indicate that this fuel is suitable for use and meets all test requirements. We advise that you filter this fluid before use. We recommend you service the filters on this component. We recommend an early resample to monitor this condition.

#### Corrosion

{not applicable}

#### Contaminants

There is a moderate amount of silt (particulates < 14 microns in size) present in the fuel. The water content is negligible.

#### **Fuel Condition**

All laboratory tests indicate that this sample meets specifications for No.2 diesel fuel, low sulfur (US EPA/CGSB-3.517-3 type B). The fuel is still serviceable provided that the contaminant(s) can be reduced to acceptable levels.

AL)				Aug2023		
SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0845356		
Sample Date		Client Info		31 Aug 2023		
Machine Age	hrs	Client Info		0		
Sample Status				ABNORMAL		
PHYSICAL PROP	ERTIES	method	limit/base	current	history1	history2
Specific Gravity		ASTM D1298*	0.839	0.828		
Fuel Color	text	Visual Screen*	Yllow	Pink		
Visc @ 40°C	cSt	ASTM D7279(m)	3.0	2.2		
Pensky-Martens Flash Point	°C	ASTM D7215*	52	56.3		
SULFUR CONTER	NT	method	limit/base	current	history1	history2
Sulfur	ppm	ASTM D5185(m)	250	36		
DISTILLATION		method	limit/base	current	history1	history2
Initial Boiling Point	°C	ASTM D2887*	165	164		
5% Distillation Point	°C	ASTM D2887*		182		
10% Distill Point	°C	ASTM D2887*	201	191		
15% Distillation Point	°C	ASTM D2887*		199		
20% Distill Point	°C	ASTM D2887*	216	206		
30% Distill Point	°C	ASTM D2887*	230	221		
40% Distill Point	°C	ASTM D2887*	243	235		
50% Distill Point	°C	ASTM D2887*	255	249		
60% Distill Point	°C	ASTM D2887*	267	264		
70% Distill Point	°C	ASTM D2887*	280	279		
80% Distill Point	°C	ASTM D2887*	295	296		
85% Distillation Point	°C	ASTM D2887*		307		
90% Distill Point	°C	ASTM D2887*	310	319		
95% Distillation Point	°C	ASTM D2887*		338		
Final Boiling Point	°C	ASTM D2887*	341	356		
	ΓY	method	limit/base	current	history1	history2
API Gravity		ASTM D1298*	37.7	39		
Cetane Index		ASTM D4737*	<40.0	50		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	<1.0	0		
Sodium	ppm	ASTM D5185(m)	<0.1	0		
Potassium	ppm	ASTM D5185(m)	<0.1	<1		
Water	%	ASTM D6304*	< 0.05	0.001		
ppm Water	ppm	ASTM D6304*	<500	11.3		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>2500	<b>5208</b>		
Particles >6µm		ASTM D7647	>640	<u> </u>		
Particles >14µm		ASTM D7647	>80	<u> </u>		
Particles >21µm		ASTM D7647	>20	26		
Particles >38µm		ASTM D7647	>4	1		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>18/16/13	<b>A</b> 20/18/14		
		(-)	-			

Contact/Location: BRENDA PINSENT - GENNEP



# **FUEL REPORT**

