

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

TRANSMAX CVT UNIVERSAL-CUSTOMER SAMPLE

Component **New (Unused) Oil** Fluid

CASTROL TRANSMAX CVT UNIVERSAL (--- GAL)

Recommendation

This is a baseline read-out on the submitted sample.

Wear

{not applicable}

Contamination

{not applicable}

Fluid Condition

{not applicable}

GAL)				Oct2023		
SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		PP		
Sample Date		Client Info		23 Oct 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)		<1		
Chromium	ppm	ASTM D5185(m)		0		
Nickel	ppm	ASTM D5185(m)		<1		
Titanium	ppm	ASTM D5185(m)		0		
Silver	ppm	ASTM D5185(m)		<1		
Aluminum	ppm	ASTM D5185(m)		0		
Lead	ppm	ASTM D5185(m)		<1		
Copper	ppm	ASTM D5185(m)		<1		
Tin	ppm	ASTM D5185(m)		0		
Antimony	ppm	ASTM D5185(m)		0		
Vanadium	ppm	ASTM D5185(m)		0		
Beryllium	ppm	ASTM D5185(m)		0		
Cadmium	ppm	ASTM D5105(m) ASTM D5185(m)		0		
ADDITIVES	ррпп	method	limit/base			
			IIIIII/Dase	current	history1	history2
Boron	ppm	ASTM D5185(m)		185		
Barium	ppm	ASTM D5185(m)		0		
Molybdenum	ppm	ASTM D5185(m)		0		
Manganese	ppm	ASTM D5185(m)		0		
Magnesium	ppm	ASTM D5185(m)		1		
Calcium	ppm	ASTM D5185(m)		208		
Phosphorus	ppm	ASTM D5185(m)		469		
Zinc	ppm	ASTM D5185(m)		3		
Sulfur	ppm	ASTM D5185(m)		549		
Lithium	ppm	ASTM D5185(m)		<1		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)		2		
Sodium	ppm	ASTM D5185(m)		<1		
Potassium	ppm	ASTM D5185(m)	>20	<1		
INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	ASTM D7844*		0		
Nitration	Abs/cm	ASTM D7624*		3.3		
Sulfation	Abs/.1mm	ASTM D7415*		31.4		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2

Oxidation

Abs/.1mm ASTM D7414*

28.3



OIL ANALYSIS REPORT

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	Visual*	NONE	NONE		
Yellow Metal	scalar	Visual*	NONE	NONE		
Precipitate	scalar	Visual*	NONE	NONE		
Silt	scalar	Visual*	NONE	NONE		
Debris	scalar	Visual*	NONE	NONE		
Sand/Dirt	scalar	Visual*	NONE	NONE		
Appearance	scalar	Visual*	NORML	NORML		
Odor	scalar	Visual*	NORML	NORML		
SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image
GRAPHS						
Ferrous Alloys						
8- iron iron nickel 6-						
0ct23/23			0ct23/23			
Non-ferrous Meta	ls					
8 copper lead tin 6 de lead tin 10 lead ti			0ct23/23			



CALA ISO 17025:2017 Accredited Laboratory

Laboratory Sample No. Lab Number

: PP : 02591570 Unique Number : 5668649

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 Received Diagnosed

: 26 Oct 2023 Diagnostician : Bill Quesnel

Test Package : TEST (Additional Tests: FT-IR, ICP) To discuss this sample report, contact Customer Service at 1-800-268-2131.

: 24 Oct 2023

Test denoted (*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

WAKEFIELD CANADA INC.

3620 LAKESHORE BLVD WEST TORONTO, ON

CA M8W 1P2 Contact: Natalee Davis

ndavis@wakefieldcanada.ca T: (416)252-5511

F: (416)354-4515