

# **FUEL REPORT**

# VANTAGE QC-61 [331084]

B-I-M2

Component

Diesel Fuel

No.2 DIESEL FUEL (ULTRALOW SULPHUR) (--- GAL)





## DIAGNOSIS

#### Recommendation

Laboratory test indicate that this fuel is suitable for use and meets all test requirements. We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid. We advise that you filter this fluid before use. We recommend an early resample to monitor this condition.

#### Contaminants

There is a moderate amount of particulates (2 to 100 microns in size) present in the fuel. The water content is negligible.


### **Fuel Condition**

The fuel is still serviceable provided that the contaminant(s) can be reduced to acceptable levels. All laboratory tests indicate that this sample meets specifications for No.2 ultra-low-sulfur diesel fuel (US EPA/CGSB-3.517-3 type B).

() ( GAL)				Dec2023		
SAMPLE INFORM	1ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		CU0021988		
Sample Date		Client Info		19 Dec 2023		
Machine Age	hrs	Client Info		48		
Sample Status				ABNORMAL		
PHYSICAL PROP	ERTIES	method	limit/base	current	history1	history2
Specific Gravity		ASTM D1298*	0.839	0.819		
Fuel Color	text	Visual Screen*	Yllow	Pink		
Visc @ 40°C	cSt	ASTM D7279(m)	3.0	1.8		
Pensky-Martens Flash Point	°C	ASTM D7215*	52	47.9		
SULFUR CONTENT		method	limit/base	current	history1	history2
Sulfur	ppm	ASTM D5185(m)	10	8		
DISTILLATION		method	limit/base	current	history1	history2
Initial Boiling Point	°C	ASTM D2887*	165	154		
5% Distillation Point	°C	ASTM D2887*		173		
10% Distill Point	°C	ASTM D2887*	201	180		
15% Distillation Point	°C	ASTM D2887*		186		
20% Distill Point	°C	ASTM D2887*	216	192		
30% Distill Point	°C	ASTM D2887*	230	204		
40% Distill Point	°C	ASTM D2887*	243	217		
50% Distill Point	°C	ASTM D2887*	255	230		
60% Distill Point	°C	ASTM D2887*	267	243		
70% Distill Point	°C	ASTM D2887*	280	257		
80% Distill Point	°C	ASTM D2887*	295	274		
85% Distillation Point	°C	ASTM D2887*		285		
90% Distill Point	°C	ASTM D2887*	310	297		
95% Distillation Point	°C	ASTM D2887*		316		
Final Boiling Point	°C	ASTM D2887*	341	344		
IGNITION QUALIT	ſΥ	method	limit/base	current	history1	history2
API Gravity		ASTM D1298*	37.7	41		
Cetane Index		ASTM D4737*	<40.0	48		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	<1.0	0		
Sodium	ppm	ASTM D5185(m)	< 0.1	<1		
Potassium	ppm	ASTM D5185(m)	< 0.1	<1		
Water	%	ASTM D6304*	< 0.05	0.003		
ppm Water	ppm	ASTM D6304*	<500	31		
FLUID CLEANLIN	ESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>2500	<b>45777</b>		
Particles >6µm		ASTM D7647	>640	<u>^</u> 26263		
Particles >14μm		ASTM D7647	>80	<b>1647</b>		
Particles >21µm		ASTM D7647	>20	<b>^</b> 73		
Particles >38μm		ASTM D7647	>4	0		
Particles >71μm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>18/16/13	<u>23/22/18</u>		
:57:53) Bev: 1		(-)			ion· Thomas Ow	ens - CLIMO



# **FUEL REPORT**





CALA ISO 17025:2017 Accredited

Laboratory

Laboratory Sample No. Lab Number

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9

: CU0021988 : 02604543 Unique Number : 5697628

Received **Tested** Diagnosed

: 27 Dec 2023 : 16 Jan 2024 - Kevin Marson

: 20 Dec 2023

Test Package: FUEL (Additional Tests: CC Flash, GC-PercFuel, PrtCount) To discuss this sample report, contact Customer Service at 1-800-268-2131.

Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

**CUMMINS EASTERN CANADA LP** 

315 AV LIBERTE CANDIAC, QC **CA J5R 6Z7** 

Contact: Thomas Owens is275@cummins.com T: (450)638-6863

F: (450)638-1202