

## **OIL ANALYSIS REPORT**

Sample Rating Trend



Machine Id

# **64497928 SUNDANCE**

Gearbox

MOBIL MOBILUBE HD 80W90 (--- GAL)

### Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the

### **Fluid Condition**


The condition of the oil is acceptable for the time in service.

			Mar2023	Mar2024		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0922029	WC0800975	
Sample Date		Client Info		26 Mar 2024	28 Mar 2023	
Machine Age	hrs	Client Info		15156	13868	
Oil Age	hrs	Client Info		1196	4176	
Oil Changed		Client Info		N/A	N/A	
Sample Status				NORMAL	NORMAL	
CONTAMINATION	V	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185(m)	>200	20	26	
Chromium	ppm	ASTM D5185(m)	>15	0	0	
Nickel	ppm	ASTM D5185(m)	>15	0	0	
Titanium	ppm	ASTM D5185(m)		0	0	
Silver	ppm	ASTM D5185(m)		0	0	
Aluminum	ppm	ASTM D5185(m)	>25	0	<1	
Lead	ppm	ASTM D5185(m)	>100	0	0	
Copper	ppm	ASTM D5185(m)	>200	<1	<1	
Tin	ppm	ASTM D5185(m)	>25	0	0	
Antimony	ppm	ASTM D5185(m)	>5	0	0	
Vanadium	ppm	ASTM D5185(m)		0	0	
Beryllium	ppm	ASTM D5185(m)		0	0	
Cadmium	ppm	ASTM D5185(m)		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185(m)		189	263	
Barium	ppm	ASTM D5185(m)		0	0	
Molybdenum	ppm	ASTM D5185(m)		0	0	
Manganese	ppm	ASTM D5185(m)		0	<1	
Magnesium	ppm	ASTM D5185(m)		<1	<1	
Calcium	ppm	ASTM D5185(m)		<1	2	
Phosphorus	ppm	ASTM D5185(m)		1002	1084	
Zinc	ppm	ASTM D5185(m)		2	3	
Sulfur	ppm	ASTM D5185(m)		24238	19009	
Lithium	ppm	ASTM D5185(m)		<1	<1	
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185(m)	>50	<1	5	
Sodium	ppm	ASTM D5185(m)		<1	<1	
Potassium	ppm	ASTM D5185(m)	>20	<1	<1	




## **OIL ANALYSIS REPORT**

CAMPLEIMACE



VISUAL		method				history2
White Metal	scalar	Visual*	NONE	NONE	NONE	
Yellow Metal	scalar	Visual*	NONE	NONE	NONE	
Precipitate	scalar	Visual*	NONE	NONE	NONE	
Silt	scalar	Visual*	NONE	NONE	NONE	
Debris	scalar	Visual*	NONE	NONE	NONE	
Sand/Dirt	scalar	Visual*	NONE	VLITE	NONE	
Appearance	scalar	Visual*	NORML	NORML	NORML	
Odor	scalar	Visual*	NORML	NORML	NORML	
<b>Emulsified Water</b>	scalar	Visual*	>0.2	NEG	NEG	
Free Water	scalar	Visual*		NEG	NEG	
FLUID PROPERT	TIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D7279(m)	136	141	141	

SAMPLE IMAGES	method	iimii/base	current	nistory i	nistory2
Color					no image
Bottom					no image
CDADHO					





CALA ISO 17025:2017 Accredited Laboratory

Laboratory Sample No. Unique Number : 5759917

: WC0922029 Lab Number : 02626785

: WearCheck - C8-1175 Appleby Line, Burlington, ON L7L 5H9 **Tested** 

Test Package : MOB 1 To discuss this sample report, contact Customer Service at 1-800-268-2131.

Received : 04 Apr 2024 : 04 Apr 2024 Diagnosed

: 04 Apr 2024 - Wes Davis

Test denoted (\*) outside scope of accreditation, (m) method modified, (e) tested at external lab. Validity of results and interpretation are based on the sample and information as supplied.

Mount St. Louis Moonstone

R.R. #4,, 24 Mount St. Louis Road Coldwater, ON CA L0K 1E0

Contact: Paul Jordan snowmaking@mslm.on.ca

F: (705)835-2831

T: