

# **OIL ANALYSIS REPORT**

## **Sample Rating Trend**

# NORMAL



# BASELINE 2


JAY HARRINGTON - SCHAEFFERS SYNTHETIC HYD ISO 100

Component
New (Unused) Oil
Fluid

{not provided} (2 GAL)

### Recommendation

This is a baseline read-out on the submitted sample.



SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		RP0031255		
Sample Date		Client Info		21 Apr 2023		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>5	0		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m	>5	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>5	0		
Aluminum	ppm	ASTM D5185m	>5	0		
Lead	ppm	ASTM D5185m	>5	0		
Copper	ppm	ASTM D5185m	>5	0		
Tin	ppm	ASTM D5185m	>5	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		11		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		348		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		2		
Phosphorus	ppm	ASTM D5185m		616		
Zinc	ppm	ASTM D5185m		17		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	2		
Sodium	ppm	ASTM D5185m		<1		
Potassium	ppm	ASTM D5185m	>20	0		
Water	%	ASTM D6304		0.008		
ppm Water	ppm	ASTM D6304		89.6		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	1503		
Particles >6µm		ASTM D7647	>1300	219		
Particles >14μm		ASTM D7647	>160	8		
Particles >21µm		ASTM D7647	>40	1		
Particles >38μm		ASTM D7647	>10	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	18/15/10		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		1.18		



# **OIL ANALYSIS REPORT**

