

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL



HANM02BE (S/N 3RC00182) Component

SAMPLE INFOR

Biogas Engine

CHEVRON HDAX LFG SAE 40 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. (Customer Sample Comment: Serviced 7/13/23)

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil

Fluid Condition


The BN result indicates that there is suitable alkalinity remaining in the oil. The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


MATION	method	limit/base	current	hi
L)	g2022 Sep2022	Nov2022 Dec2022 Feb20	023 Mar2023 May2023	Jun2023
182)				
3111				


Sample Number Sample Date Machine Age Oil Age Oil Changed Sample Status CONTAMINATION	hrs hrs	Client Info Client Info Client Info Client Info Client Info	limit/base	WC0802665 13 Jul 2023 66280 1024 Changed NORMAL	WC0802700 28 Jun 2023 65923 667 Not Changd NORMAL history1	WC0802676 23 Jun 2023 65802 546 N/A NORMAL
Fuel		WC Method	>4.0	<1.0	<1.0	<1.0
Glycol		WC Method		NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>15	2	2	2
Chromium	ppm	ASTM D5185m	>4	0	<1	0
Nickel	ppm	ASTM D5185m	>2	0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m	>5	0	0	0
Aluminum	ppm	ASTM D5185m	>6	2	2	<1
Lead	ppm	ASTM D5185m	>9	4	1	2
Copper	ppm	ASTM D5185m	>14	1	<1	1
Tin	ppm	ASTM D5185m	>4	6	6	6
Vanadium	ppm	ASTM D5185m		<1	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		<1	0	0
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		2	2	2
Manganese	ppm	ASTM D5185m		<1	<1	<1
Magnesium	ppm	ASTM D5185m		12	11	9
Calcium	ppm	ASTM D5185m		2125	2168	1982
Phosphorus	ppm	ASTM D5185m	270	318	315	290
Zinc	ppm	ASTM D5185m	310	400	394	367
Sulfur	ppm	ASTM D5185m		2803	2807	2460
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>181	159	136	138
Sodium	ppm	ASTM D5185m		0	<1	0
Potassium	ppm	ASTM D5185m	>20	<1	<1	2
INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844		0.1	0.1	0.1
Nitration	Abs/cm	*ASTM D7624	>20	7.7	7.0	6.7
Sulfation	Abs/.1mm	*ASTM D7415	>30	22.3	20.8	20.6
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	18.3	15.8	16.3
Acid Number (AN)	mg KOH/g	ASTM D8045	1.8	2.02	1.60	1.33
Base Number (BN)	mg KOH/g	ASTM D2896	6.0	5.02	4.42	4.34



OIL ANALYSIS REPORT










VISUAL		method				history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG


FLUID PROPERTIES		method				history2
Visc @ 100°C	cSt	ASTM D445	15.1	14.2	13.9	13.8


Iroi 25 T a a a	n (ppi	m)						
Seve	re		11777		11111		Ш	11
Abno	ormal							1 1
E 10								
5-	`	Λ		Λ		_		
0		$\stackrel{\frown}{\longrightarrow}$	×	7/		<u>~/</u>	\sim	
Aug4/22	Sep30/2:	Nov3/22	Jec29/22	Feb24/23	Mar27/23	May4/23	Jun8/23	
				교	Š	Σ	_	
		n (pr		æ	Σ	2	7	





















Certificate L2367

Laboratory Sample No. Lab Number **Unique Number** Test Package : MOB 2

: WC0802665 : 05900140 : 10561496

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received Diagnosed Diagnostician

: 17 Jul 2023 : 19 Jul 2023 : Don Baldridge

EDL NA Recips-Hancock County HANCOCK COUNTY POWER STATION, 3574 TOWNSHIP ROAD 142

FINDLAY, OH US 45840

Contact: TIM CUSICK

tim.cusick@energydevelopments.com T:

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: