

## **COOLANT REPORT**

## WCLSNC Machine Id QC COOL ELC NC 09012022

Component Coolant Fluid

CAT EXTENDED LIFE COOLANT (ELC) (--- GAL)

DIAGNOSIS






NORMAL

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0835898	WC0835897	WC0835923
Sample Date		Client Info		18 Jul 2023	17 Jul 2023	12 Jul 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	SEVERE	NORMAL
PHYSICAL TEST F	ESULTS	method	limit/base	current	history1	history2
Specific Gravity		*ASTM D1298		1.067	1.067	1.067
pН	Scale 0-14	ASTM D1287		8.24	8.20	8.19
Nitrites	ppm	AP-053:2009		676	560	676
Reserve Alkalinity	Scale 0-20	*ASTM D1121				
Percentage Glycol	%	ASTM D3321		49.7	49.8	49.8
Freezing Point	°F	ASTM D3321		-33	-33	-33
Total Dissolved Solids				288.0	315.0	336.0
Carboxylate				fail	🛑 fail	fail
CORROSION INH	IBITORS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D6130	0	10	24	16
Phosphorus	ppm	ASTM D6130	0	0	0	0
Boron	ppm	ASTM D6130	0	3	7	7
Molybdenum	ppm	ASTM D6130	950	971	989	1056
CORROSION		method	limit/base	current	history1	history2
Iron	ppm	ASTM D6130	>2	<1	1	<1
Aluminum	ppm	ASTM D6130	>2	0	<1	0
Copper	ppm	ASTM D6130	>2	<1	<1	<1
Lead	ppm	ASTM D6130	>2	0	<1	<1
Tin	ppm	ASTM D6130	>2	<1	<1	1
Zinc	ppm	ASTM D6130	>2	0	<1	<1
CONTAMINANTS		method	limit/base	current	history1	history2
Chlorine	ppm	ASTM D6130		19	18	24
CARRIER SALTS		method	limit/base	current	history1	history2
Sodium	ppm	ASTM D6130		4791	5046	5768
Potassium	ppm	ASTM D6130		61	26	16
SCALE POTENTI	AL	method	limit/base	current	history1	history2
Calcium	ppm	ASTM D6130	>5	0	<1	<1
Magnesium	ppm	ASTM D6130	>6	0	0	<1



## **COOLANT REPORT**



VISUAL	method	limit/base	current	history1	history2
Coolant Color	*Visual		Red	Red	Red
Coolant Appearance	*Visual	Clear	normal	normal	normal
Color					
Bottom					

