


COOLANT REPORT

WCLSNC

Component Coolant

Fluid CAT EXTENDED LIFE COOLANT (ELC) (--- GAL)

DIAGNOSIS







SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0835900	WC0835899	WC0835898
Sample Date		Client Info		20 Jul 2023	19 Jul 2023	18 Jul 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				SEVERE	NORMAL	NORMAL
PHYSICAL TEST F	RESULTS	method	limit/base	current	history1	history2
Specific Gravity		*ASTM D1298		1.067	1.067	1.067
рН	Scale 0-14	ASTM D1287		8.16	8.10	8.24
Nitrites	ppm	AP-053:2009		712	636	676
Reserve Alkalinity	Scale 0-20	*ASTM D1121				
Percentage Glycol	%	ASTM D3321		49.8	49.8	49.7
Freezing Point	°F	ASTM D3321		-33	-33	-33
Total Dissolved Solids				620.0	277.0	288.0
Carboxylate				🏓 fail	pass	fail
CORROSION INH	IBITORS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D6130	0	24	10	10
Phosphorus	ppm	ASTM D6130	0	0	0	0
Boron	ppm	ASTM D6130	0	8	2	3
Molybdenum	ppm	ASTM D6130	950	983	960	971
CORROSION		method	limit/base	current	history1	history2
Iron	ppm	ASTM D6130	>2	1	<1	<1
Aluminum	ppm	ASTM D6130	>2	<1	0	0
Copper	ppm	ASTM D6130	>2	<1	<1	<1
Lead	ppm	ASTM D6130	>2	<1	<1	0
Tin	ppm	ASTM D6130	>2	<1	<1	<1
Zinc	ppm	ASTM D6130	>2	<1	0	0
CONTAMINANTS		method	limit/base	current	history1	history2
Chlorine	ppm	ASTM D6130		19	17	19
CARRIER SALTS		method	limit/base	current	history1	history2
Sodium	ppm	ASTM D6130		5086	4574	4791
Potassium	ppm	ASTM D6130		39	15	61
SCALE POTENTI	AL	method	limit/base	current	history1	history2
Calcium	ppm	ASTM D6130	>5	<1	0	0
Magnesium	ppm	ASTM D6130	>6	0	0	0
-						



COOLANT REPORT



VISUAL	method	limit/base	current	history1	history2
Coolant Color	*Visual		Red	Red	Red
Coolant Appearance	*Visual	Clear	normal	normal	normal
Color					
Bottom			6		



Submitted By: ?

Page 2 of 2