

OIL ANALYSIS REPORT

Sample Rating Trend







Machine Id **2017123** Component **Diesel Engine** Fluid **NOT GIVEN (--- GAL)**

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition


The BN result indicates that there is suitable alkalinity remaining in the oil. The condition of the oil is suitable for further service.

SAMPLE INFORM	ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		IL05924102		
Sample Date		Client Info		17 Jul 2023		
Machine Age	mls	Client Info		84670		
Oil Age	mls	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Glycol		WC Method		NEG		
-				-		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>100	18		
Chromium	ppm	ASTM D5185m	>20	<1		
Nickel	ppm	ASTM D5185m	>4	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>3	0		
Aluminum	ppm	ASTM D5185m		2		
Lead	ppm	ASTM D5185m	>40	2		
Copper	ppm	ASTM D5185m		6		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		39		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		48		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		488		
Calcium	ppm	ASTM D5185m		1711		
Phosphorus	ppm	ASTM D5185m		777		
Zinc	ppm	ASTM D5185m		923		
Sulfur	ppm	ASTM D5185m		2982		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	7		
Sodium	ppm	ASTM D5185m		4		
Potassium	ppm	ASTM D5185m	>20	7		
Fuel	%	ASTM D3524	>5	<1.0		
INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844	>3	1.2		
Nitration	Abs/cm	*ASTM D7624	>20	8.1		
Sulfation	Abs/.1mm		>30	22.6		
FLUID DEGRADA		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	19.1		
Base Number (BN)	mg KOH/g	ASTM D7414 ASTM D2896	220	19.1		
Dase Number (DN)	nių kon/g	AG TIVI DZ030		10.5		




OIL ANALYSIS REPORT

VISUAL



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar		NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar		NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	_ Sand/Dirt			NONE	NONE		
-		scalar					
Jul 7/23	Appearance	scalar	*Visual	NORML	NORML		
~	Cuoi	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.2	NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	TIES	method	limit/base	current	history1	history2
	Visc @ 100°C	cSt	ASTM D445		11.5		
	GRAPHS						
	Ferrous Alloys						
	¹⁸			-			
	16 - iron 14 - iron 14 - iron						
	14 normanickel						
	E ¹⁰ 8						
	6 -						
	4						
	2						
	Jul17/23			Jul17/23			
	-			Ju			
	Non-ferrous Metal	S					
	10 copper						
	8 - tip						
	E 6-						
	ш d 4-						
	2-						
	/Z3			/23			
	Jul17/23			Jul17/23			
	Viscosity @ 100°C			-	_		
	¹⁸			12.	Base Number		
	17- Abnormal			10.			
	16 -			(B/H			
	ç ¹⁵				0		
	C 15 0 15 14 to 15 14 to 15 14 to 15 14			8. Base Number (mg KOH(g) 4.	0		
	4bnormal			Turny 4	0		
	12 -						
	11-			2.	0		
	10						
	Jul17/23			Jul17/23	Jul17/23		Jul17/23
				Jul	Jul L		.Inf
Laboratory Sample No. Lab Number Unique Number	: 05924102 r : 10604049	Receive Diagnos Diagnos	d : 14 / ed : 15 / tician : Sea	ry, NC 2751 Aug 2023 Aug 2023 an Felton		ASE OF ATLA 4675 BAKERS	FERRY ROAD ATLANTA, GAUNIC US 3033
2367 Test Package							DAVID JOHNS
ss this sample report,	contact Customer Serv	ice at 1-8	300-237-1369	9.			idealease.com
tes test methods that	are outside of the ISO 1	7025 scc	ope of accrea	litation.			(404)699-5571
ents of conformity to spe	cifications are based on the	he simple	acceptance of	decision rule ((JCGM 106:2012)	F:	(404)699-7420



Contact/Location: DAVID JOHNS - IDEATLGA