



## **PROBLEM SUMMARY**

#### Area NOT GIVEN [37959] Machine Id GARDNER DENVER S442126 - CUSTOM BLAST Component

Compressor



### COMPONENT CONDITION SUMMARY



### RECOMMENDATION

No corrective action is recommended at this time. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS									
Sample Status			ATTENTION						
Aluminum	ppm	ASTM D5185m	>25	<u> </u>					

Customer Id: UCAIRDEE Sample No.: UCH05929695 Lab Number: 05929695 Test Package: IND 2



To manage this report scan the QR code

*To discuss the diagnosis or test data:* Don Baldridge +1 <u>don.b505@comcast.net</u>

*To change component or sample information:* Customer Service +1 1-800-237-1369 <u>customerservice@wearcheck.com</u> There are no recommended actions for this sample.

HISTORICAL DIAGNOSIS



### **OIL ANALYSIS F**

scalar

scalar

scalar

scalar

scalar

\*Visual

\*Visual

\*Visual

\*Visual

\*Visual

scalar \*Visual

scalar \*Visual

NONE

NONE

NONE

NORML

NORML

>0.1

NONE

NONE

NONE

NORML

NORML

NEG

NEG

Silt

Debris

Odor

Sand/Dirt

Appearance

Free Water

**Emulsified Water** 

### NOT GIVEN [37959] GARDNER DENVER S442126 - CUSTO Component

Compressor

### DIAGNOSIS

#### Recommendation

No corrective action is recommended at this time. Resample at the next service interval to monitor.

### A Wear

The aluminum level is abnormal. All other component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil

#### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

			le Rating Tre			
SIS REPO		WEAR				
CUSTOM BL	ΔST					
	-701					
		1		Aug2023		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH05929695		
Sample Date		Client Info		10 Aug 2023		
Machine Age	hrs	Client Info		18448		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ATTENTION		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	14		
Chromium	ppm	ASTM D5185m		0		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	<u> </u>		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>50	<1		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		3		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		2		
Magnesium	ppm	ASTM D5185m		1		
Calcium	ppm	ASTM D5185m		2		
Phosphorus	ppm	ASTM D5185m		576		
Zinc	ppm	ASTM D5185m		62		
Sulfur	ppm	ASTM D5185m		233		
CONTAMINANTS	S	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	0		
Sodium	ppm	ASTM D5185m	-	21		
Potassium	ppm	ASTM D5185m	>20	3		
FLUID DEGRADA		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.24		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	LIGHT		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Cit	ocalar	*1/10/04	NONE	NONE		

----



# **OIL ANALYSIS REPORT**



Contact/Location: AARON RIOS - UCAIRDEE