

## **OIL ANALYSIS REPORT**

### Sample Rating Trend

### NORMAL





SAMPLE INFORM	/ATION	method	limit/base	current	history1	histor
Sample Number		Client Info		USP255271	USP248420	USP2452
Sample Date		Client Info		23 Aug 2023	31 May 2023	14 Mar 20
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	ABNORMAL	NORMAL
WEAR METALS		method	limit/base	current	history1	histor
Iron	ppm	ASTM D5185m	>8	1	4	0
Chromium	ppm	ASTM D5185m	>2	0	0	0
Nickel	ppm	ASTM D5185m		0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m	>2	0	0	0
Aluminum	ppm	ASTM D5185m	>3	0	0	0
Lead	ppm	ASTM D5185m	>2	0	0	0
Copper	ppm	ASTM D5185m		0	<1	0
Tin	ppm	ASTM D5185m	>4	0	0	0
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES	ppm	method	limit/base	current	history1	histo
Boron	nnm	ASTM D5185m	IIIIII/Dase	0	0	0
Barium	ppm	ASTM D5185m		0	0	0
	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	0
Manganese Magnesium	ppm	ASTM D5185m		0	0	0
Calcium	ppm	ASTM D5185m		0	0	0
	ppm	ASTM D5185m		1	0	<1
Phosphorus	ppm				-	< 1
Zinc	ppm	ASTM D5185m	50	0	<1	
Sulfur	ppm	ASTM D5185m	50	24	19	25
CONTAMINANTS		method	limit/base	current	history1	histo
Silicon	ppm	ASTM D5185m	>15	0	0	<1
Sodium	ppm	ASTM D5185m		2	0	<1
Potassium	ppm	ASTM D5185m	>20	0	<1	0
Water	%	ASTM D6304		0.004	0.003	0.003
ppm Water	ppm	ASTM D6304	>100	44.7	32.0	32.2
FLUID CLEANLIN	IESS	method	limit/base	current	history1	histo
Particles >4µm		ASTM D7647	>10000	1199	▲ 71148	4195
Particles >6µm		ASTM D7647	>2500	189	▲ 6521	878
Particles >14µm		ASTM D7647	>320	32	21	18
Particles >21µm		ASTM D7647		9	2	2
Particles >38µm		ASTM D7647	>20	0	0	0
Particles >71µm		ASTM D7647		0	0	0
Oil Cleanliness		ISO 4406 (c)	>20/18/15	17/15/12	▲ 23/20/12	19/17/
FLUID DEGRADA	TION	method	limit/base	current	history1	histo
Acid Number (AN)	mg KOH/g	ASTM D974	0.005	0.015	0.015	0.015

## C-2 (S/N 10240C92475238) Component

**Refrigeration Compressor** USPI 1009-68 SC (--- GAL)

### Recommendation

Resample at the next service interval to monitor.

### Wear

All component wear rates are normal.

### Contamination


There is no indication of any contamination in the oil. The amount and size of particulates present in the system are acceptable.


### Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



# **OIL ANALYSIS REPORT**








55 + FL/9voN	Feb26/17	Dec14/17	Aug28/18	Jun2/19	Feb24/20 -	Jun16/21-	Mar25/22	Dec4/22
Z	£	De	Au	7	E	ηŗ	Ma	
Pa <sup>0k</sup> T	rticle	Tren	ł					
0k -	4	µm µm						
0k -		4μm						
ok -								
		1	Λ		Λ			
	normal	~	X	~	$\square$	-	4	~
Ok + 1/9vol	Feb26/17	Dec14/17 -	Aug28/18	Jun2/19	Feb24/20	Jun16/21	Mar25/22	Dec4/22
8	026	10	328	Zun	524	-	II25	ec4

VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.01	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG
FLUID PROPER	TIES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	67	67.3	68.2	67.5
SAMPLE IMAGES		method	limit/base	current	history1	history2
Color						

Bottom



\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: benjamin evans - CONIND

F: x:

Certificate L2367