

OIL ANALYSIS REPORT

VISION 8000 **HODGE 2208015018 - NOVO GUITARS** Component

Compressor

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.






NORMAL

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH05936228		
Sample Date		Client Info		16 Jun 2023		
Machine Age	hrs	Client Info		512		
Oil Age	hrs	Client Info		512		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	5		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	3		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	<1		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		2		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		458		
Zinc	ppm	ASTM D5185m		16		
Sulfur	ppm	ASTM D5185m		772		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	3		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.21		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	LIGHT		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		

Contact/Location: Derik Bray - UCATLHOS



OIL ANALYSIS REPORT



	FLUID PROPER	RTIES	method	limit/base	current	history1	history2	
	Visc @ 40°C	cSt	ASTM D445		44.2			
	SAMPLE IMAGE	ES	method	limit/base	current	history1	history2	
	Color					no image	no image	
16.73	Bottom					no image	no image	
	GRAPHS							
	Ferrous Alloys							
	9 8 7 7							
	E 5- 4-							
	2							
	Jun 16/23			Jun16/23				
	Non-ferrous Meta	als						
	8							
	E. 5-							
	2 1							
	0 Jun16/23			Jun16/23				
	Viscosity @ 40°C	2			Acid Number			
	52 Abnormal			0.22				
	50			0.18-				
:	48			10,16 HOX 0.14				
	(⊋ 46 - 10 00 53 44 -			(P.0.16- 02,0.14- 02,0.12- 10,10- 10,10- 10,08- 10,08- 10,08- 10,08- 10,08- 10,08- 10,016- 10,016- 10,016- 10,016- 10,016- 10,016- 10,000,014- 10,000,000,000,000,000,000,000,000,000,				
	42			40.08 80.0 Vin				
	40 Abnormal			0.04				
	38			0.02 - 0.00 -				
	Jun16/23			Jun16/23	Jun16/23			
Laboratory	: WearCheck USA - 501 Madison Ave., Cary, NC : UCH05936228 Received : 28 Aug 20 : 05936228 Diagnosed : 29 Aug 20 : 10621499 Diagnostician : Don Baldr			y, NC 27513 ug 2023	27513ATLANTA AIR COMPRESSO23123 MERCHANTS PARK D23HOSCHTON, G			
Sample No. Lab Number Unique Number Test Package						0		

Contact/Location: Derik Bray - UCATLHOS