

## **OIL ANALYSIS REPORT**

Sample Rating Trend





#### Component Front Differential

Fluid

## ConocoPhillips power tran oil (--- GAL)

#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor. ( Customer Sample Comment: ConocoPhillips power tran oil )

## Wear

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the oil.


#### Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0802391	WC0601666	
Sample Date		Client Info		23 Jun 2023	12 May 2022	
Machine Age	hrs	Client Info		1099	505	
Oil Age	hrs	Client Info		594	505	
Oil Changed		Client Info		Changed	Changed	
Sample Status				NORMAL	NORMAL	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>500	145	62	
Chromium	ppm	ASTM D5185m	>10	2	<1	
Nickel	ppm	ASTM D5185m	>10	<1	0	
Titanium	ppm	ASTM D5185m		1	<1	
Silver	ppm	ASTM D5185m		0	<1	
Aluminum	ppm	ASTM D5185m	>25	3	2	
Lead	ppm	ASTM D5185m	>25	0	0	
Copper	ppm	ASTM D5185m	>100	45	15	
Tin	ppm	ASTM D5185m	>10	1	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	<1	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		123	102	
Barium	ppm	ASTM D5185m		14	0	
Molybdenum	ppm	ASTM D5185m		<1	<1	
Manganese	ppm	ASTM D5185m		8	6	
Magnesium	ppm	ASTM D5185m		17	10	
Calcium	ppm	ASTM D5185m		3510	3325	
Phosphorus	ppm	ASTM D5185m		1188	1125	
Zinc	ppm	ASTM D5185m		1445	1402	
Sulfur	ppm	ASTM D5185m		3874	3625	
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>75	17	10	
Sodium	ppm	ASTM D5185m		11	15	
Potassium	ppm	ASTM D5185m	>20	3	3	
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	LIGHT	MODER	
Debris	scalar	*Visual	NONE	NONE	NONE	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
Emulsified Water	scalar	*Visual	>.2	NEG	NEG	
Free Water	scalar	*Visual		NEG	NEG	
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445		54.6	55.2	
1:53:10) Rev: 1			Submitted By: JAMES STEELMON			



# **OIL ANALYSIS REPORT**



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Submitted By: JAMES STEELMON

Page 2 of 2