

We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid.

15-25µ

25-50µ

50-100µ

Sample Status

16,000

4.000

1,000

250

0 5-15µ

RECOMMENDATION

Abnorma

Customer Id: RIDHAM Sample No.: WC05959312 Lab Number: 05959312 Test Package: IND 2



To manage this report scan the QR code

To discuss the diagnosis or test data: Doug Bogart +1 (800)237-1369 x4016 dougb@wearcheckusa.com

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

PROBLEMATIC TEST RESULTS

>1000

Leve

ABNORMAL

RECOMMENDED ACTIONS								
Action	Status	Date	Done By	Description				
Change Filter			?	We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid.				
Filter Fluid			?	We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid.				

HISTORICAL DIAGNOSIS



COOLANT REPORT

Area **37533 (TRACE PO 36880) [37533]** Machine Id **EGWTS0001-09182023B** Component

Hydraulic System

WC171088 ETHYLENE GLYCOL (--- GAL)

DIAGNOSIS

A Recommendation

We advise that you perform a filter service, and use off-line filtration to improve the cleanliness of the system fluid.

Wear


All metal levels are normal indicating no corrosion in the cooling system.

Contamination

There is a high amount of particulates present in the oil. NAS 1638 Class: 12, Discrete particle counts [100 ml] $5-15\mu$ m = 414700, $15-25\mu$ m = 70600, $25-50\mu$ m = 23800, $50-100\mu$ m = 3700, >100 μ m = 400. The system cleanliness is above the acceptable limit for the target SAE AS4059 (replaces NAS 1638) cleanliness code.

Fluid Condition

The glycol level is acceptable. The condition of the oil is acceptable for the time in service.



SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC05959312		
Sample Date		Client Info		18 Sep 2023		
Machine Age	mths	Client Info		0		
Oil Age	mths	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				ABNORMAL		
PHYSICAL TEST R	ESULTS	method	limit/base	current	history1	history2
pН	Scale 0-14	ASTM D1287		7.97		
Percentage Glycol	%	ASTM D3321		62.2		
CORROSION INH	BITORS	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m		7		
Phosphorus	ppm	ASTM D5185m		4239		
Boron	ppm	ASTM D5185m		9		
Molybdenum	ppm	ASTM D5185m		3		
CORROSION		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	<1		
Aluminum	ppm	ASTM D5185m	>20	1		
Copper	ppm	ASTM D5185m	>20	<1		
Lead	ppm	ASTM D5185m	>20	<1		
Tin	ppm	ASTM D5185m	>20	<1		
Zinc	ppm	ASTM D5185m		<1		
CONTAMINANTS						
CONTAMINANTS		method	limit/base	current	history1	history2
Chlorine	ppm	method ASTM D5185m	limit/base	current 13	history1	history2
			limit/base limit/base			
Chlorine		ASTM D5185m		13		
Chlorine CARRIER SALTS	ppm	ASTM D5185m method		13 current	 history1	 history2
Chlorine CARRIER SALTS Sodium	ppm ppm ppm	ASTM D5185m method ASTM D5185m		13 current 301	 history1	 history2
Chlorine CARRIER SALTS Sodium Potassium	ppm ppm ppm	ASTM D5185m method ASTM D5185m ASTM D5185m	limit/base	13 current 301 10000	 history1 	 history2
Chlorine CARRIER SALTS Sodium Potassium SCALE POTENTI	ppm ppm ppm AL	ASTM D5185m method ASTM D5185m ASTM D5185m method	limit/base	13 current 301 10000 current	history1 history1	history2 history2



COOLANT REPORT



Contact/Location: HEATHER ABELL* - RIDHAM