

OIL ANALYSIS REPORT

Sample Rating Trend


NORMAL



CATERPILLAR 745D 13397 (S/N 3T605921)

Component Brake

NOT GIVEN (--- GAL)





Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the


Fluid Condition

The condition of the oil is acceptable for the time in service.

			Sep 2023			
SAMPLE INFORM	/ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0831362		
•		Client Info				
Sample Date	bro	Client Info		25 Sep 2023		
Machine Age	hrs			1000		
Oil Age Oil Changed	hrs	Client Info		1000		
Sample Status		Client inio		Changed NORMAL		
·				NORWAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>350	8		
Chromium	ppm	ASTM D5185m	>5	<1		
Nickel	ppm	ASTM D5185m	>5	<1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>8	2		
Lead	ppm	ASTM D5185m	>10	<1		
Copper	ppm	ASTM D5185m	>150	34		
Tin	ppm	ASTM D5185m	>5	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		1		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		8		
Calcium	ppm	ASTM D5185m		2827		
Phosphorus	ppm	ASTM D5185m		1037		
Zinc	ppm	ASTM D5185m		1220		
Sulfur	ppm	ASTM D5185m		4260		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>400	153		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	1		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	IFS	method	limit/base	current	history1	history2




OIL ANALYSIS REPORT




SAMPLE IMAGES	method	limit/base	current	history1	history2
Color			no image	no image	no image
Bottom			no image	no image	no image


GRAPHS



Non-ferrous Metals



Viscosity @ 40°C







Laboratory Sample No. Lab Number Unique Number : 10672328

: WC0831362 : 05965777 Test Package : CONST

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 29 Sep 2023 Diagnosed

: 03 Oct 2023 Diagnostician : Don Baldridge

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Contact: MIKE WYATT mwyatt@traderconstruction.com

TRADER CONSTRUCTION CO.

T: (252)633-1399 F: (252)638-4871

PO DRAWER 1578

NEW BERN, NC

US 28563

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: MIKE WYATT - TRANEW