

OIL ANALYSIS REPORT

Sample Rating Trend







Machine Id L4740 Component Transmission Fluid

CASTROL TRANSYND 668 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the fluid.

Fluid Condition

The condition of the fluid is acceptable for the time in service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0784028		
Sample Date		Client Info		03 Oct 2023		
Machine Age	hrs	Client Info		6004		
Oil Age	hrs	Client Info		382		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	93		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>50	29		
Lead	ppm	ASTM D5185m	>50	25		
Copper	ppm	ASTM D5185m	>200	24		
Tin	ppm	ASTM D5185m	>10	5		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		129		
Barium	ppm	ASTM D5185m		2		
Molybdenum	ppm	ASTM D5185m		<1		
Manganese	ppm	ASTM D5185m		2		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		112		
Phosphorus	ppm	ASTM D5185m		319		
Zinc	ppm	ASTM D5185m		4		
Sulfur	ppm	ASTM D5185m		1918		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	7		
Sodium	ppm	ASTM D5185m		5		
Potassium	ppm	ASTM D5185m	>20	3		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual		NEG		
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445	33	33.1		
8:58:55) Rev: 1					on: Service Man	ager - AVWFHT


Report Id: AVWEHT [WUSCAR] 05979170 (Generated: 10/24/2023 08:58:55) Rev: 1

Contact/Location: Service Manager - AVWEHT



OIL ANALYSIS REPORT

SAMPLE IMAGES method limit/base



	SAMPLE IMAGES	s method	limit/base	current	history1	history2
	Color			no image	no image	no image
0cd3/23 -	Bottom			no image	no image	no image
_	GRAPHS					
	Ferrous Alloys					
	90 - chromium 80 - nickel					
	70					
	60					
L.	50 -					
	40					
	20					
	10-					
			23			
	0ct3/23		0ct3/23			
	Non-ferrous Metals	5				
	25 copper		_			
	20-					
	15					
	10					
	5 -					
	0					
	0ct3/23		0ct3/23 -			
			00			
	Viscosity @ 40°C					
	37- Abnormal					
	36					
	35-					
cSt (40°C)	33 - Base					
ĕ	32					
	31-					
	30 Abnormal					
	29 28					
	0ct3/23		0ct3/23			
	D		0			
	: WearCheck USA - 5			3 Apple	Valley Waste -	
Sample No. Lab Number			Oct 2023 Oct 2023			6 Delilah Road r Township, NJ
TESTING LABORATORY Unique Number	: 10696465		in Felton			US 08234
	: CONST	co at 1_200 227 1200	2		Contact: Se	ervice Manager
To discuss this sample report, co * - Denotes test methods that are						T:
Statements of conformity to specifi	ications are based on th	ne simple acceptance o	lecision rule	(JCGM 106:2012)	F:

Contact/Location: Service Manager - AVWEHT