


PROBLEM SUMMARY



TULSA [18327] Cat D6N


Left Final Drive


CONOCO PHILLIPS GUARDOL ECT 15W40 (--- GAL)





COMPONENT CONDITION SUMMARY





RECOMMENDATION

We advise that you check all areas where dirt can enter the system. The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

PROBLEMATIC TEST RESULTS									
Sample Status				ABNORMAL					
Aluminum	ppm	ASTM D5185m	>75	23					
Silicon	mag	ASTM D5185m	>400	237					

Customer Id: MANTUL Sample No.: WC0818781 Lab Number: 06010407 Test Package: CONST



To manage this report scan the QR code

To discuss the diagnosis or test data: Sean Felton +1 919-379-4092 sfelton@wearcheckusa.com

To change component or sample information: Customer Service +1 1-800-237-1369 customerservice@wearcheck.com

RECOMMENDED AC	MMENDED ACTIONS					
Action	Status	Date	Done By	Description		
Check Dirt Access			?	We advise that you check all areas where dirt can enter the system.		

HISTORICAL DIAGNOSIS




OIL ANALYSIS REPORT



Left Final Drive

CONOCO PHILLIPS GUARDOL ECT 15W40 (--- GAL)



DIRT

DIAGNOSIS

Recommendation

We advise that you check all areas where dirt can enter the system. The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

Elemental levels of silicon (Si) and aluminum (Al) indicate alumina-silicate (coarse dirt) ingress.


Fluid Condition

The condition of the oil is acceptable for the time in service.

DOL ECT 15440 (GAL)			Sep2023		
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0818781		
Sample Date		Client Info		27 Sep 2023		
Machine Age	hrs	Client Info		2675		
Oil Age	hrs	Client Info		2675		
Oil Changed		Client Info		Changed		
Sample Status				ABNORMAL		
CONTAMINATION	J	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG		
WEAR METALS		method	limit/base	current	history1	history2
ron	ppm	ASTM D5185m	>800	316		
Chromium	ppm	ASTM D5185m	>10	14		
lickel	ppm	ASTM D5185m	>5	<1		
itanium	ppm	ASTM D5185m	>15	3		
Silver	ppm	ASTM D5185m	>2	0		
Muminum	ppm	ASTM D5185m	>75	4 23		
.ead	ppm	ASTM D5185m	>10	0		
Copper	ppm	ASTM D5185m	>75	5		
-in	ppm	ASTM D5185m	>8	0		
/anadium	ppm	ASTM D5185m		1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES	1-1-	method	limit/base	current	history1	history2
Boron Barium	ppm	ASTM D5185m ASTM D5185m	85	0 5		
	ppm					
Molybdenum	ppm	ASTM D5185m		8		
Manganese	ppm	ASTM D5185m	050	6		
Magnesium	ppm	ASTM D5185m	350	12		
Calcium	ppm	ASTM D5185m	1800	3207		
Phosphorus 	ppm	ASTM D5185m	1000	1133		
linc	ppm	ASTM D5185m	1100	1284		
Sulfur	ppm	ASTM D5185m	3500	13321		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>400	<u> </u>		
Sodium	ppm	ASTM D5185m		13		
otassium	ppm	ASTM D5185m	>20	27		
VISUAL		method	limit/base	current	history1	history2
Vhite Metal	scalar	*Visual	NONE	NONE		
'ellow Metal	scalar	*Visual	NONE	NONE		
recipitate	scalar	*Visual	NONE	NONE		
ilt	scalar	*Visual	NONE	NONE		
)ebris	scalar	*Visual	NONE	NONE		
and/Dirt	scalar	*Visual	NONE	NONE		
ppearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
ree Water	scalar	*Visual		NEG		
8:30) Rev: 1					mitted By: JAM	ES STEEL MC



OIL ANALYSIS REPORT







Laboratory Sample No. Lab Number Unique Number

: WC0818781 : 06010407 : 10749551 Test Package : CONST To discuss this sample report, contact Customer Service at 1-800-237-1369.

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 16 Nov 2023 : 28 Nov 2023 Diagnosed Diagnostician : Sean Felton

MANHATTAN ROAD AND BRIDGE

5601 S 122ND E AVE TULSA, OK US 74146

Contact: JAMES STEELMON james.steelmon@manhattanrb.com

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) T:

F: