

OIL ANALYSIS REPORT

Area PNEUTECH 5010160 [268994] Machine Id GARDNER DENVER S296628 - RICHLAND METAL FAB Component

Compressor

{not provided} (4 GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend



NORMAL

SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UFD0000062		
Sample Date		Client Info		30 Oct 2023		
Machine Age	hrs	Client Info		55431		
Oil Age	hrs	Client Info		1030		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		1		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	<1		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	0		
Tin	ppm	ASTM D5185m	>15	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		<1		
Calcium	ppm	ASTM D5185m		<1		
Phosphorus	ppm	ASTM D5185m		240		
Zinc	ppm	ASTM D5185m		4		
Sulfur	ppm	ASTM D5185m		60		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	4		
Sodium	ppm	ASTM D5185m		<1		
Potassium	ppm	ASTM D5185m	>20	1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.092		

Report Id: UCFLUSCH [WUSCAR] 06012496 (Generated: 11/22/2023 11:57:11) Rev: 1




OIL ANALYSIS REPORT

VISUAL

Acid Number





	White Metal	scalar	*Visual	NONE	NONE			
	Yellow Metal	scalar	*Visual	NONE	NONE			
	Precipitate	scalar	*Visual	NONE	NONE			
	Silt	scalar	*Visual	NONE	NONE			
	Debris	scalar	*Visual	NONE	NONE			
	Sand/Dirt	scalar	*Visual	NONE	NONE			
0/23 -	Appearance	scalar	*Visual	NORML	NORML			
0ct30/23	Odor	scalar	*Visual	NORML	NORML			
	Emulsified Water	scalar	*Visual	>0.1	NEG			
	Free Water	scalar	*Visual		NEG			
	FLUID PROPERT					latata w.d	bistow (
	FLUID PROPERT	IES	method	limit/base	current	history1	history2	
	Visc @ 40°C	cSt	ASTM D445		45.3			
	SAMPLE IMAGES	6	method	limit/base	current	history1	history2	
0ct30/23 +	Color					no image	no image	
	Bottom					no image	no image	
	Non-ferrous Metals			0ei30/23				
	Viscosity @ 40°C			1.0 0.04//d)	Acid Number			
(ABER)	40 - Abnormal			0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	16 14 12 12 10 10 10 10 10 10 10 10 10 10 10 10 10		0440023	
	: WearCheck USA - 501 Madison Ave., Cary, N : UFD0000062 Received : 20 Nov 2 : 06012496 Diagnosed : 22 Nov 2 : 10751640 Diagnostician : Don Bale : IND 2 contact Customer Service at 1-800-237-1369. re outside of the ISO 17025 scope of accreditation				3	55 SCH Conta iener@fluidaire	FLUID-AIRE DYNAMIC 550 ALBION AVI SCHAUMBURG, I US 6019 Contact: ED DIENEF er@fluidairedynamics.cor T: (847)678-838	

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: ED DIENER - UCFLUSCH

F: