

OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



WP11 CT03 (S/N 850042747.02.01.003)

Component Gearbox

SHELL OMALA 220 (5 GAL)

Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

Contamination

There is no indication of any contamination in the

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0776142	WC0630952	WC0630963
Sample Date		Client Info		01 Nov 2023	30 Jul 2023	05 Jun 2023
Machine Age	yrs	Client Info		20	20	20
Oil Age	yrs	Client Info		1	0	1
Oil Changed		Client Info		Not Changd	Not Changd	Not Changd
Sample Status				NORMAL	NORMAL	NORMAL
CONTAMINATION		method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	87	92	106
Chromium	ppm	ASTM D5185m	>15	<1	<1	1
Nickel	ppm	ASTM D5185m	>15	0	<1	<1
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>25	<1	0	1
Lead	ppm	ASTM D5185m	>100	0	0	<1
Copper	ppm	ASTM D5185m	>200	<1	1	0
Tin	ppm	ASTM D5185m	>25	0	0	<1
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	4.4	<1	2	0
Barium	ppm	ASTM D5185m	0.0	0	2	0
Molybdenum	ppm	ASTM D5185m	0	0	<1	<1
Manganese	ppm	ASTM D5185m		1	<1	1
Magnesium	ppm	ASTM D5185m	0	1	<1	1
Calcium	ppm	ASTM D5185m	0	11	6	16
Phosphorus	ppm	ASTM D5185m	215	319	311	329
Zinc	ppm	ASTM D5185m	0	38	40	42
Sulfur	ppm	ASTM D5185m	7039	13241	13516	16014
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	1	1	1
Sodium	ppm	ASTM D5185m		2	0	3
Potassium	ppm	ASTM D5185m	>20	2	1	2
FLUID DEGRADA	ATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.48	0.56	0.59



₹ 210

200 190 180

OIL ANALYSIS REPORT




VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	MODER
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE	LIGHT
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.2	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG

FLUID PROPERTIES		method	ilmit/base		nistory i	nistory	
Visc @ 40°C	cSt	ASTM D445	220	214	215	216	


SAMPLE IMAGES


Color


Bottom


















Certificate L2367

Laboratory Sample No. Lab Number Test Package : IND 2

Unique Number

: WC0776142 : 06012590 : 10751734

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received Diagnosed

: 20 Nov 2023 : 21 Nov 2023 Diagnostician : Wes Davis

LEPRINO FOODS - WAVERLY

Contact/Location: ED TWINING - LEPWAV

400 LEPRINO AVE WAVERLY, NY US 14892

Contact: ED TWINING ETWINING@LEPRINOFOODS.COM

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

F: (570)882-7290

T: