

OIL ANALYSIS REPORT

Sample Rating Trend





CATERPILLAR 745D 13391 (S/N 3T603813)

Rear Differential

NOT GIVEN (--- GAL)

DIAGNOSIS

Recommendation

The oil change at the time of sampling has been noted. Resample at the next service interval to monitor.

Wear

Metal levels are typical for a new component breaking in.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition


The condition of the oil is acceptable for the time in service.

				Nov2023		
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0879420		
Sample Date		Client Info		30 Nov 2023		
Machine Age	hrs	Client Info		2021		
Oil Age	hrs	Client Info		2021		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATION	٧	method	limit/base	current	history1	history2
Water		WC Method	>.2	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>500	198		
Chromium	ppm	ASTM D5185m	>3	2		
Nickel	ppm	ASTM D5185m	>3	0		
Titanium	ppm	ASTM D5185m	>2	0		
Silver	ppm	ASTM D5185m	>2	0		
Aluminum	ppm	ASTM D5185m	>30	16		
Lead	ppm	ASTM D5185m	>13	0		
Copper	ppm	ASTM D5185m	>103	169		
Tin	ppm	ASTM D5185m	>5	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		<1		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		2		
Manganese	ppm	ASTM D5185m		3		
Magnesium	ppm	ASTM D5185m		8		
Calcium	ppm	ASTM D5185m		3183		
Phosphorus	ppm	ASTM D5185m		1012		
Zinc	ppm	ASTM D5185m		1180		
Sulfur	ppm	ASTM D5185m		7647		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>100	21		
Sodium	ppm	ASTM D5185m		5		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>.2	NEG		
Free Water	scalar	*Visual		NEG		
:23:36) Rev: 1				Contact/Loc	ation: MIKE WY	ATT - TRANEV


Contact/Location: MIKE WYATT - TRANEW



OIL ANALYSIS REPORT



	FLUID PROPER	TIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		95.0		
	SAMPLE IMAGE	S	method	limit/base	current	history1	history2
	Color				no image	no image	no image
Nov30/23	Bottom				no image	no image	no image
	GRAPHS			_			
Ш	Ferrous Alloys			Nov30/23			
Laboratory Sample No. Lab Number Unique Number Test Package	Viscosity @ 40°C			Nov30/23 + 00v30/23	а т	RADER CONST	



Contact/Location: MIKE WYATT - TRANEW