

# **OIL ANALYSIS REPORT**

#### Area ULTRA COOLANT [57948] Machine Id INGERSOLL RAND NV4144U12191 - IMG USA Component

Compressor

#### DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor.

## Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

# Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend




NORMAL

SAMPLE INFORM	<b>NATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06061308		
Sample Date		Client Info		15 Dec 2023		
Machine Age	hrs	Client Info		63556		
Oil Age	hrs	Client Info		2890		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	<1		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	2		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	<1		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0		
Barium	ppm	ASTM D5185m	500	668		
Molybdenum	ppm	ASTM D5185m	0	0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m	0	0		
Calcium	ppm	ASTM D5185m	0	2		
Phosphorus	ppm	ASTM D5185m	20	35		
Zinc	ppm	ASTM D5185m	0	0		
Sulfur	ppm	ASTM D5185m	200	264		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	2		
Sodium	ppm	ASTM D5185m		13		
Potassium	ppm	ASTM D5185m	>20	2		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.08		



# **OIL ANALYSIS REPORT**

VISUAL



	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt		*Visual	NONE	NONE		
	Debris		*Visual	NONE	NONE		
	Sand/Dirt		*Visual	NONE	NONE		
Dec15/23	Appearance		*Visual	NORML	NORML		
De	Odor		*Visual	NORML	NORML		
	Emulsified Water		*Visual	>0.1	NEG		
	Free Water	scalar	*Visual		NEG		
-	FLUID PROPERT	TIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	49.4	52.0		
-	SAMPLE IMAGES	S	method	limit/base	current	history1	history2
Deci 5/23 -	Color					no image	no image
	Bottom					no image	no image
	Non-ferrous Metal			Dec15/23			
1000000 + 60°	Viscosity @ 40°C			Dec15/23 0ec15/23 0ec12/23 0.0 Verted Winnber (md K0H/d) 0.0 Verted Winnber (md K0H/d)	Acid Number		Derl 5/33
Laboratory Sample No. Lab Number Unique Number Test Package o discuss this sample report, o Denotes test methods that an	: WearCheck USA - 5 : UCH06061308 I : 06061308 I : 10832690 I : IND 2 contact Customer Servi re outside of the ISO 1						

Contact/Location: RACHEL VON HATTEN - UCJOHSAI