

OIL ANALYSIS REPORT

Sample Rating Trend







Component

4 Winch Fluid GEAR OIL ISO 220 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.


Fluid Condition

The condition of the oil is acceptable for the time in service.

SAMPLE INFORM	1ATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0833427		
Sample Date		Client Info		16 Feb 2024		
Machine Age	hrs	Client Info		10157		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
		mathad	limit/booo	ourropt	biotomut	history ()
CONTAMINATION Water	N	method WC Method	limit/base		history1	history2
				NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>150	149		
Chromium	ppm	ASTM D5185m	>10	2		
Nickel	ppm	ASTM D5185m	>10	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	_	0		
Aluminum	ppm	ASTM D5185m	>5	<1		
Lead	ppm	ASTM D5185m	>15	0		
Copper	ppm	ASTM D5185m	>80	0		
Tin	ppm	ASTM D5185m		0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	50	0		
Barium	ppm	ASTM D5185m	15	<1		
Molybdenum	ppm	ASTM D5185m	15	0		
Manganese	ppm	ASTM D5185m		1		
Magnesium	ppm	ASTM D5185m	50	13		
Calcium	ppm	ASTM D5185m	50	47		
Phosphorus	ppm	ASTM D5185m	350	196		
Zinc	ppm	ASTM D5185m	100	103		
Sulfur	ppm	ASTM D5185m	12500	1724		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	16		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	MODER		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.2	NEG		
Free Water	scalar	*Visual		NEG		
15:19:28) Rev: 1			С	ontact/Location	JOHN HAWKIN	S - BUCWILTX




OIL ANALYSIS REPORT





	FLUID PROPER	TIES met	hod limit/base	current	history1	history
	Visc @ 40°C		D445 220	206		
	SAMPLE IMAGE	S met	hod limit/base	current	history1	history
	Color				no image	no image
Feb16/24	Bottom				no image	no image
	GRAPHS					
	Ferrous Alloys					
	140 iron 140 iron 120 iron 100 nickel 100 iron 0 iron	ll5	Feb 16.24			
	Feb 16/24		Feb16/24			
	Viscosity @ 40°C		and a			
1.00 (Q. 100)	245 240 235 230 5225 230 5225 8ase 215 210					
	205 -					
	200 - Abnormal					
	Feb16/24 -		Feb16/24 -			
ole No. Number	: WearCheck USA - 50 : WC0833427 : <mark>06101212</mark> : 10899442	01 Madison Ave. Received Tested Diagnosed			18123 H	KNER - WILI WY 75 NOR WILLIS, US 773 DHN HAWKI
	contact Customer Ser	vice at 1 800 22	7 4000		ohnh@bucknerd	



Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

F: