

## **OIL ANALYSIS REPORT**


OIL ANALYSIS REPORT

Area [3250] Machine Id

## INGERSOLL RAND CK2977U00047 - BLUE RHINO UNIT 1

Component

Compressor





#### DIAGNOSIS

#### Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.


### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

			Junzuz3	Marzuz4		
SAMPLE INFORM	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCS06130767	UCS05871027	
Sample Date		Client Info		21 Mar 2024	11 Jun 2023	
Machine Age	hrs	Client Info		2000	37013	
Oil Age	hrs	Client Info		2000	8000	
Oil Changed		Client Info		Changed	Changed	
Sample Status				NORMAL	NORMAL	
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water	•	WC Method	>0.1	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
						HISTOTYZ
Iron	ppm	ASTM D5185m	>50	0	3	
Chromium	ppm	ASTM D5185m	>10	0	0	
Nickel	ppm	ASTM D5185m		0	0	
Titanium	ppm	ASTM D5185m		0	0	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm	ASTM D5185m	>25	1	<1	
Lead	ppm	ASTM D5185m	>25	0	0	
Copper	ppm	ASTM D5185m	>50	0	<1	
Tin	ppm	ASTM D5185m	>15	0	<1	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0	0	
Barium	ppm	ASTM D5185m	500	0	0	
Molybdenum	ppm	ASTM D5185m	0	0	0	
Manganese	ppm	ASTM D5185m		0	0	
Magnesium	ppm	ASTM D5185m	0	<1	0	
Calcium	ppm	ASTM D5185m	0	3	0	
Phosphorus	ppm	ASTM D5185m	20	218	311	
Zinc	ppm	ASTM D5185m	0	1	0	
Sulfur	ppm	ASTM D5185m	200	682	290	
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	0	0	
Sodium	ppm	ASTM D5185m		0	3	
Potassium	ppm	ASTM D5185m	>20	1	0	
FLUID DEGRADA	ATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.40	0.52	

# **Sullivan**

## **OIL ANALYSIS REPORT**




VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	LIGHT	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	NONE	NONE	
Debris	scalar	*Visual	NONE	NONE	NONE	
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML	NORML	
Odor	scalar	*Visual	NORML	NORML	NORML	
<b>Emulsified Water</b>	scalar	*Visual	>0.1	NEG	NEG	
Free Water	scalar	*Visual		NEG	NEG	
FLUID PROPERTIES		method	limit/base	current	history1	history2


. 20.2						
Visc @ 40°C	cSt	ASTM D445	49.4	44.5	47.6	


Color	no image
Bottom	no image
OB A BUILD	

SAMPLE IMAGES



10-	Non-terrous Metais
8 -	copper
E 6 -	• • • • • • • • • • • • • • • • • • •
i 4.	1
2 ·	
	Jun11/23 y Jun11/23 A Jun11/24
	Jun1
	Viscosity @ 40°C









Certificate L2367

Report Id: UCSTAELK [WUSCAR] 06130767 (Generated: 03/30/2024 15:32:23) Rev: 1

Laboratory Sample No.

Test Package : IND 2

Lab Number : 06130767 Unique Number : 10950232

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : UCS06130767

To discuss this sample report, contact Customer Service at 1-800-237-1369.

Received **Tested** 

: 27 Mar 2024 : 28 Mar 2024 Diagnosed

: 30 Mar 2024 - Don Baldridge

Contact: DARRYL WEDDLE darryl@stanleyhvac.com T: (336)366-4226

**STANLEY HEATING & AIR** 

1002 DOBBINS MILL RD

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: DARRYL WEDDLE - UCSTAELK

ELKIN, NC

US 28621

F: