Sullivan Palatek.

OIL ANALYSIS REPORT

NOT GIVEN SULLIVAN PALATEK 150514002 - AC1035 Component

Compressor

Recommendation

The filter change at the time of sampling has been noted. Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

Moderate concentration of visible dirt/debris present in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

Sample nating frend	NORMAL
Nov2023 Mar2024	


Sample Rating Trend




SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCS06130771	UCS06040659	
Sample Date		Client Info		14 Mar 2024	09 Nov 2023	
Machine Age	hrs	Client Info		19372	19372	
Oil Age	hrs	Client Info		881	0	
Oil Changed		Client Info		Not Changd	Changed	
Sample Status				NORMAL	NORMAL	
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	<1	0	
Chromium	ppm	ASTM D5185m	>10	0	0	
Nickel	ppm	ASTM D5185m		0	0	
Titanium	ppm	ASTM D5185m		0	<1	
Silver	ppm	ASTM D5185m		0	0	
Aluminum	ppm	ASTM D5185m	>25	1	2	
Lead	ppm	ASTM D5185m	>25	0	0	
Copper	ppm	ASTM D5185m	>50	<1	<1	
Tin	ppm	ASTM D5185m	>15	0	0	
Vanadium	ppm	ASTM D5185m		0	0	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	
Barium	ppm	ASTM D5185m		0	6	
Molybdenum	ppm	ASTM D5185m		0	0	
Manganese	ppm	ASTM D5185m		0	0	
Magnesium	ppm	ASTM D5185m		<1	0	
Calcium	ppm	ASTM D5185m		3	0	
Phosphorus	ppm	ASTM D5185m		375	644	
Zinc	ppm	ASTM D5185m		0	0	
Sulfur	ppm	ASTM D5185m		498	451	
CONTAMINANTS	5	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<1	2	
Sodium	ppm	ASTM D5185m		0	0	
Potassium	ppm	ASTM D5185m	>20	<1	0	
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.09	0.14	



OIL ANALYSIS REPORT





VISUAL		method	iiiiii/base	curren	it filstory i	Thistory2
White Metal	scalar	*Visual	NONE	NONE	NONE	
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
Precipitate	scalar	*Visual	NONE	NONE	NONE	
Silt	scalar	*Visual	NONE	NONE	NONE	
Debris	scalar	*Visual	NONE	MODER		
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG	
Free Water	scalar	*Visual	2011	NEG	NEG	
						_
FLUID PROPERT	IES	method	limit/base	curren	nt history1	history2
Visc @ 40°C	cSt	ASTM D445		42.8	44.5	
SAMPLE IMAGES		method	limit/base	curren	nt history1	history2
Color						no image
Bottom						no image
GRAPHS						
und d 2 0 EECopool			Mar14/24			
Non-ferrous Metals	;		Mari 4/24			
Viscosity @ 40°C			2	Acid Num	iher	
55 50 40 35 8 40 40 40 8 40 40 40 8 50 40 40 8 50 40 50 40 50 50 50 50 50 50 50 50 50 50 50 50 50			Mar14/24 0.0 Acid Number (mg K0H/g)	5		Mar14/24
WearCheck USA - 501 UCS06130771 06130771 10950236 IND 2 contact Customer Service	Recei Teste Diagn	ved : 27 d : 28 iosed : 30	7 Mar 2024 8 Mar 2024 Mar 2024 - Dor	n Baldridge	TRAIL KING I MI Contact: DAN DANDERSON@TRA	TCHELL, SD US 57301 ANDERSON

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

Laboratory Sample No. Lab Number Unique Number Test Package

Т:

F: