

OIL ANALYSIS REPORT

Area ULTRA COOLANT [SVO-059869] Machine Id INGERSOLL RAND CBV456450 - KENWORTH OF EFFINGHAM Component

Compressor

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend




NORMAL

SAMPLE INFORM	NATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06132139		
Sample Date		Client Info		18 Mar 2024		
Machine Age	hrs	Client Info		19016		
Oil Age	hrs	Client Info		804		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	0		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0		
Barium	ppm	ASTM D5185m	500	617		
Molybdenum	ppm	ASTM D5185m	0	0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m	0	0		
Calcium	ppm	ASTM D5185m	0	<1		
Phosphorus	ppm	ASTM D5185m	20	6		
Zinc	ppm	ASTM D5185m	0	4		
Sulfur	ppm	ASTM D5185m	200	343		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	<1		
Sodium	ppm	ASTM D5185m		11		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.12		



OIL ANALYSIS REPORT

VISUAL



	VISUAL		methou		current		riistory2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
3/24	Appearance	scalar	*Visual	NORML	NORML		
Mar18/24	Odor	scalar	*Visual	NORML	NORML		
-	Emulsified Water	scalar	*Visual	>0.1	NEG		
	Free Water	scalar	*Visual	20.1	NEG		
	FLUID PROPER		method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	49.4	51.8		
	SAMPLE IMAGE	S	method	limit/base	current	history1	history2
Mar18/24 +	Color					no image	no image
	Bottom					no image	no image
	Ferrous Alloys			War18/24 War18/24 War18/24 War18/24 War18/24 War18/24 War10/25 0.0	Acid Number		
Laboratory Sample No. Lab Number Unique Number Test Package	: WearCheck USA - 50 : UCH06132139 : 06132139 : 10951604	Recei Teste	ived : 28 d : 29	Mar18/24	JOHN	HENRY FOST 4700 LEBOUF SAI	RGET STREE NT LOUIS, M US 6313

Contact/Location: RACHEL VON HATTEN - UCJOHSAI