

## **OIL ANALYSIS REPORT**

### CZ 20 [PM3-3297381] Machine Id ATLAS COPCO ARP490309 - WESTERN DIGITAL Component

Compressor

## Recommendation

The filter change at the time of sampling has been noted. Resample at the next service interval to monitor. Please specify the brand, type, and

#### Wear

All component wear rates are normal.


viscosity of the oil on your next sample.

#### Contamination

Moderate concentration of visible dirt/debris present in the oil.

#### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend




NORMAL

SAMPLE INFORM	<b>IATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06132764		
Sample Date		Client Info		15 Mar 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>15	0		
Lead	ppm	ASTM D5185m	>65	0		
Copper	ppm	ASTM D5185m	>65	<1		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		92		
Phosphorus	ppm	ASTM D5185m		408		
Zinc	ppm	ASTM D5185m		10		
Sulfur	ppm	ASTM D5185m		1833		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	<1		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	<1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.27		



# **OIL ANALYSIS REPORT**

VISUAL



	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
	Appearance Odor	scalar	*Visual	NORML	NORML		
	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPER	TIES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		67.0		
	SAMPLE IMAGE	=0	method	limit/base	current	history1	history2
	SAMPLE IMAGE	_0	methou	iiiiii/base	Current	TIIStory I	TIIStOLYZ
	Color					no image	no image
	Bottom				$\bigcirc$	no image	no image
	Non-ferrous Meta			Mar15/24 Mar15/24			
	Viscosity @ 40°C			Wart 5/24 Mart 5/24 Mart 2/24 Mart 2	Acid Number		
ificate L2367 Unique Num Unique Num Test Packa discuss this sample rep	y : WearCheck USA - 5 o. : UCH06132764 ber : 06132764 ber : 10952229 oge : IND 2 bort, contact Customer Ser	: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : UCH06132764 <b>Received</b> : 28 Mar 2024 : 06132764 <b>Tested</b> : 01 Apr 2024 : 10952229 <b>Diagnosed</b> : 02 Apr 2024 - Don Baldridge					