Sullivan <u>uvan</u> Palatek.

OIL ANALYSIS REPORT

Sample Rating Trend

NORMAL

Area KAESER KAESER 1706-8970454 - MALNOVE Component Compressor

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the component.

Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

				Mar2024		
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCS06135090		
Sample Date		Client Info		21 Mar 2024		
Machine Age	hrs	Client Info		3839		
Oil Age	hrs	Client Info		3839		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATION	J	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m	>3	0		
Titanium	ppm	ASTM D5185m	>3	0		
Silver	ppm	ASTM D5185m	>2	0		
Aluminum	ppm	ASTM D5185m	>10	0		
Lead	ppm	ASTM D5185m	>10	0		
Copper	ppm	ASTM D5185m	>50	2		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		11		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		44		
Calcium	ppm	ASTM D5185m		2		
Phosphorus	ppm	ASTM D5185m		6		
Zinc	ppm	ASTM D5185m		7		
Sulfur	ppm	ASTM D5185m		22174		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	2		
Sodium	ppm	ASTM D5185m		15		
Potassium	ppm	ASTM D5185m	>20	8		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.36		



OIL ANALYSIS REPORT

VISUAL



	White Metal	scalar	*Visual	NONE	NONE			
	Yellow Metal		*Visual	NONE	NONE			
1	Precipitate		*Visual	NONE	NONE			
	Silt		*Visual	NONE	LIGHT			
	Debris		*Visual	NONE	NONE			
	Sand/Dirt		*Visual	NONE	NONE			
- 124	Appearance		*Visual	NORML	NORML			
Mar21/24	Odor		*Visual	NORML	NORML			
2	Emulsified Water	scalar	*Visual		NEG			
				>0.05				
	Free Water	scalar	*Visual		NEG			
	FLUID PROPERT	IES	method				history2	
	Visc @ 40°C	cSt	ASTM D445		44.2			
	SAMPLE IMAGES	5	method	limit/base	current	history1	history2	
Mar21/24 -	Color					no image	no image	
	Bottom					no image	no image	
	Ferrous Alloys	5		Mai21/24 Mai21/24 Mai21/24	Acid Number			
Laboratory Sample No.	(Job) 45 40 35 40 5 40 5 40 5 40 5 40 5 40 5 4	Receiv	ved : 01	Apr 2024	Mar21/24		40TH STREET	
Lab Number Unique Number Test Package o discuss this sample report, Denotes test methods that a tatements of conformity to sp	: 10954555 : IND 2 contact Customer Servi are outside of the ISO 12	Diagno ice at 1-80 7025 scop				WATERLOO, NE US 68069 Contact: CHASE SVOBODA chase.svoboda@rage-energy.com T: (402)614-9926 M 106:2012) F:		