

OIL ANALYSIS REPORT

Sample Rating Trend



Machine Id ATLAS COPCO GA75 ATLAS COPCO GA75 - FEINTOOL (S/N NOT GIVEN) Component Compressor

ATLAS COPCO ROTO XTEND (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0907624		
Sample Date		Client Info		25 Mar 2024		
Machine Age	hrs	Client Info		20879		
Oil Age	hrs	Client Info		2672		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	3		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>15	0		
Lead	ppm	ASTM D5185m	>65	0		
Copper	ppm	ASTM D5185m	>65	0		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		77		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		220		
CONTAMINANTS	5	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	<1		
Sodium	ppm	ASTM D5185m		<1		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.14	0.29		



OIL ANALYSIS REPORT



	VISUAL		method	limit/base	e current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
Mar25/24	Appearance	scalar	*Visual	NORML	NORML		
Ma	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
1	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	IES	method	limit/base	e current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	46	46.3		
	SAMPLE IMAGES	S	method	limit/base	e current	history1	history2
Mar25/24 +	Color					no image	no image
	Bottom					no image	no image
	Ferrous Alloys	s		Mar25/24			
	Uiscosity @ 40°C			(g)	Acid Number		
	10-000 H2052 PM			Mar25/24 + Acid Number (mg KOH/g)	1.24 1.18 Base 1.12 1.00 4 5 5 5 5 5 5 5 5 5 5 5 5 5		Mar2C.774
Laboratory Sample No. Lab Number Unique Number Test Package discuss this sample report,	: WearCheck USA - 50 : WC0907624 : 06138636 : 10963444 : IND 2	Recei Teste Diagr	ived : 04 ed : 05 nosed : 06 800-237-1368	, NC 27513 Apr 2024 Apr 2024 Apr 2024 - Di Apr 2024 - Di	3 ELEVAT	Contact: ROE @compressedair	AL SOLUTIONS LAWTON AVE MONROE, OF US 45050 BIN PRICHARE

Report Id: COMMONOH [WUSCAR] 06138636 (Generated: 04/06/2024 12:21:14) Rev: 1

Contact/Location: ROBIN PRICHARD - COMMONOH