

# **OIL ANALYSIS REPORT**

# Area NOT GIVEN [416698] ATLAS COPCO APF255054 - FRATELLI

Component Compressor

### DIAGNOSIS

### Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

### Wear


All component wear rates are normal.

## Contamination

There is no indication of any contamination in the oil.

#### Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.



Sample Rating Trend




NORMAL


SAMPLE INFORM	<b>MATION</b>	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06142366		
Sample Date		Client Info		08 Apr 2024		
Machine Age	hrs	Client Info		10376		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
CONTAMINATION	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	3		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>15	0		
Lead	ppm	ASTM D5185m	>65	0		
Copper	ppm	ASTM D5185m	>65	0		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		470		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		169		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	0		
Sodium	ppm	ASTM D5185m		1		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.29		



# **OIL ANALYSIS REPORT**

VISUAL





100712					,	,
White Metal	scalar	*Visual	NONE	NONE		
Yellow Metal	scalar	*Visual	NONE	NONE		
Precipitate	scalar	*Visual	NONE	NONE		
Silt	scalar	*Visual	NONE	NONE		
Debris	scalar	*Visual	NONE	NONE		
Sand/Dirt	scalar	*Visual	NONE	NONE		
Appearance	scalar	*Visual	NORML	NORML		
Odor	scalar	*Visual	NORML	NORML		
Emulsified Water	scalar	*Visual	>0.1	NEG		
Free Water	scalar	*Visual	20.1	NEG		
		VISUAI		NEG		
FLUID PROPERT	IES	method	limit/base	current	history1	history2
Visc @ 40°C	cSt	ASTM D445		67.0		
SAMPLE IMAGES	\$	method	limit/base	current	history1	history2
Color					no image	no image
Bottom					no image	no image
GRAPHS						
Ferrous Alloys						
10						
8 - Iron						
6- nickel						
4-						
2						
0 0 1 2	*************		54			
Apr8/24			Apr8/24			
Non-ferrous Metal	c					
10 <sub>T</sub>	5					
8 - copper						
6 tin						
4-						
2						
0						
Apr8/24			Apr8/24			
			Ř			
Viscosity @ 40°C				Acid Number		
			(B <sup>0.3</sup>	UT 1		
60			0.0 4000 4000 4000 4000 4000 4000 4000	4+		
50 - Abnormal			트 0.1 뉼	8		
40 Abnormal			40.1	2		
			L DOO	b		
30 42				74-1		24
Apr8/24			Apr8/24	Apr8/24		Apr8/24
WearCheck USA - 50 UCH06142366 06142366 10967174	1 Madiso <b>Recei</b> Teste Diagr	ived : 08	r, NC 27513 3 Apr 2024 9 Apr 2024 Apr 2024 - Dor		C/	HINGTON AVE ARLSTADT, NJ US 07072
ND 2		00 007 105	2			ct: ELVIN DIAZ
ontact Customer Servi	ce at 1-8	00-237-1369	J.	ediaz@airma	ticcompressor.com;canasi	tasio@wearcheckusa.com

To discuss this sample report, contact Customer \* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Certificate L2367

Laboratory

Sample No.

Lab Number **Unique Number Test Package** 

Contact/Location: ELVIN DIAZ - UCAIRCAR

T: (800)864-7621

F: (201)342-6241