

OIL ANALYSIS REPORT

Area **GARDNER DENVER EBM 75HP U58740**

Component Compressor

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is acceptable for the time in service.



Sample Rating Trend




SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06147459		
Sample Date		Client Info		05 Apr 2024		
Machine Age	hrs	Client Info		48574		
Oil Age	hrs	Client Info		6000		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>15	0		
Lead	ppm	ASTM D5185m	>65	0		
Copper	ppm	ASTM D5185m	>65	24		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		517		
Zinc	ppm	ASTM D5185m		112		
Sulfur	ppm	ASTM D5185m		1384		
CONTAMINANTS	;	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>35	<1		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	0		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.49		



OIL ANALYSIS REPORT

VISUAL





VICCIAL		method		ourront	Thotory I	i notor y z	
White Metal	scalar	*Visual	NONE	NONE			
Yellow Metal	scalar	*Visual	NONE	NONE			
Precipitate	scalar	*Visual	NONE	NONE			
Silt	scalar	*Visual	NONE	NONE			
Debris	scalar	*Visual	NONE	NONE			
Sand/Dirt	scalar	*Visual	NONE	NONE			
Appearance	scalar	*Visual	NORML	NORML			
Odor	scalar	*Visual	NORML	NORML			
Emulsified Water	scalar	*Visual	>0.1	NEG			
Free Water	scalar	*Visual		NEG			
FLUID PROPERT	TIES	method	d limit/base	current	history1	history	
Visc @ 40°C	cSt	ASTM D4	45	42.0			
SAMPLE IMAGE	S	method	d limit/base	current	history1	history	
Color					no image	no image	
Bottom					no image	no image	
Non-ferrous Metal	s		Ap5/24				
Viscosity @ 40°C			Apr5/24 Acid Number (mg KOH/g) Acid Number (mg KOH/g)	Acid Numbe	r		
: WearCheck USA - 50 : UCH06147459	Recei	ved	ary, NC 27513 : 12 Apr 2024	Apr5/24		N EQUIPME	
r : 06147459 r : 10977537 e : IND 2 rt, contact Customer Serv	10977537 Diagnosed : 16 Apr 2024 - Sean Felton				TOLEDO, C US 436 Contact: STEVEN RHODI steven.rhodes@tomlinequip.co		

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Report Id: UCTOMTOL [WUSCAR] 06147459 (Generated: 04/16/2024 11:53:21) Rev: 1

Certificate L2367

Contact/Location: STEVEN RHODES - UCTOMTOL

T:

F: