

OIL ANALYSIS REPORT

Area SIGMA 460 KAESER 2008-8665833 - DOKA

Component Compressor

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear


All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The condition of the oil is suitable for further service.






NORMAL

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06148800		
Sample Date		Client Info		28 Mar 2024		
Machine Age	hrs	Client Info		2975		
Oil Age	hrs	Client Info		2975		
Oil Changed		Client Info		Changed		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	<1		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m	>3	0		
Titanium	ppm	ASTM D5185m	>3	0		
Silver	ppm	ASTM D5185m	>2	0		
Aluminum	ppm	ASTM D5185m	>10	<1		
Lead	ppm	ASTM D5185m	>10	0		
Copper	ppm	ASTM D5185m	>50	2		
Tin	ppm	ASTM D5185m	>10	0		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		18		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		66		
Calcium	ppm	ASTM D5185m		3		
Phosphorus	ppm	ASTM D5185m		<1		
Zinc	ppm	ASTM D5185m		3		
Sulfur	ppm	ASTM D5185m		17993		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	0		
Sodium	ppm	ASTM D5185m		21		
Potassium	ppm	ASTM D5185m	>20	14		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.37		



OIL ANALYSIS REPORT



	VISUAL		method	limit/base	current	history1	history2	
	White Metal	scalar	*Visual	NONE	NONE			
	Yellow Metal	scalar	*Visual	NONE	NONE			
	Precipitate	scalar	*Visual	NONE	NONE			
	Silt	scalar	*Visual	NONE	NONE			
	Debris	scalar	*Visual	NONE	LIGHT			
	Sand/Dirt	scalar	*Visual	NONE	NONE			
Mar28/24	Appearance	scalar	*Visual	NORML	NORML			
M	Odor	scalar	*Visual	NORML	NORML			
	Emulsified Water	scalar	*Visual	>0.05	NEG NEG			
1	Free Water	scalar	*Visual		NEG			
	FLUID PROPERT		method	limit/base	current	history1	history2	
	Visc @ 40°C	cSt	ASTM D445		44.3			
	SAMPLE IMAGES	5	method	limit/base	current	history1	history2	
Mar28/24	Color				A.	no image	no image	
	Bottom					no image	no image	
	Non-ferrous Metal	s		Mar28/24				
	8 6 4 2 0 7 2 7 8 8 6 4 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			Mar28/24				
	≊ Viscosity @ 40°C			Ma	Acid Number			
	55 Abnormal			(p ^{0.4}				
	50 + 9			g ko	30 -			
	(J) 00+ 45 ts				20			
	40 Abnormal			Acid Number (mg KOH/g) .0 .0 .0 .0 .0	10-			
	35			0.	JU -			
	Mar28/24			Mar28/24	Mar28/24		∆C/8C=cM	
Laboratory Sample No. Lab Number Unique Number Test Package	: WearCheck USA - 50 ⁻ : UCH06148800 : 06148800 : 10978878	1 Madiso Recei Teste Diagn	ved :15 d :16		AIRMAT	MATIC COMPRESSOR SYSTEMS 700 WASHINGTON AVI CARLSTADT, N US 0707. Contact: ELVIN DIA @aimaticcompressor.com;canaslasio@wearcheckusa.co		

é

Contact/Location: ELVIN DIAZ - UCAIRCAR