

OIL ANALYSIS REPORT

Area [85461] 83282 - ROYCO 782 (S/N 23200183)

New (Unused) Oil Fluid

{not provided} (--- GAL)

Recommendation

This is a baseline read-out on the submitted sample. Chlorine measured at 2.9 ppm.


				Apr2U24		
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0926363		
Sample Date		Client Info		09 Apr 2024		
Machine Age	hrs	Client Info		0		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>5	0		
Chromium	ppm	ASTM D5185m	>5	0		
Nickel	ppm	ASTM D5185m	>5	0		
Titanium	ppm	ASTM D5185m		0		
Silver	ppm	ASTM D5185m	>5	0		
Aluminum	ppm	ASTM D5185m	>5	0		
Lead	ppm	ASTM D5185m	>5	0		
Copper	ppm	ASTM D5185m	>5	0		
Tin	ppm	ASTM D5185m	>5	0		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		721		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		21		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	0		
Sodium	ppm	ASTM D5185m		0		
Potassium	ppm	ASTM D5185m	>20	0		
Chlorine Content	ppm	ASTM D5185m		2.90		
Water	%	ASTM D6304		0.012		
ppm Water	ppm	ASTM D6304		123		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>5000	154		
Particles >6µm		ASTM D7647	>1300	66		
Particles >14µm		ASTM D7647	>160	16		
Particles >21µm		ASTM D7647	>40	4		
Particles >38µm		ASTM D7647	>10	0		
Particles >71µm		ASTM D7647	>3	0		
Oil Cleanliness		ISO 4406 (c)	>19/17/14	14/13/11		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2

Acid Number (AN) mg KOH/g ASTM D8045 Report Id: NORPLAMA [WUSCAR] 06152433 (Generated: 04/23/2024 07:04:13) Rev: 3

0.129

Contact/Location: MIKE BOUCHER - NORPLAMA







Sample Rating Trend


Page 1 of 2



OIL ANALYSIS REPORT







	VISUAL		method				history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
Apr9/24	Appearance	scalar	*Visual	NORML	NORML		
Ap	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual		NEG		
	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	IES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		14.6		
	Visc @ 100°C	cSt	ASTM D445		3.95		
	Viscosity Index (VI)	Scale	ASTM D2270		180		
	SAMPLE IMAGES	2	method	limit/base	current	history1	history2
Apr9/24 -		5	method	in nu base		Thistory	Thistoryz
	Color					no image	no image
	Bottom					no image	no image
	Non-ferrous Metal	s		122.88 30.72 (m 7.68 452/6/04 48 1.92 48 10 and 12 12 48	Severe 0 2 4 4 0 - 0 -		-2 -2 -1 -1 -1 -1
	ennemente lead			umpe ,			-11
- 9/24	E 4						
Apr9					8-	1	-1
	Apr9/24			Apr9/24	2 -		-8
	Ap			Ap	0	14	N
	Viscosity @ 40°C				^{4μ} ^{6μ} Acid Number	14μ 21μ	38µ 71µ
	150 Abnormal			1.0 (0) 0.0 KOH(0) 0.0 Vinumper 0.0 Vinumper 0.0 Vinumper	5		
				₹ 20.1	0		
	다 100 - Abnormal 한 50 -			mber (5		
				N N			
	0 ⁴⁺ 0				24+0		
VCID	Apr9/24			Apr9/24	Apr9/24		
Laboratory Sample No.	: WearCheck USA - 50 : WC0926363	1 Madiso Rece i Teste	ived : 17			NORTHLAND-\	VILLETTE IN 12 HIGH S AINVILLE, N

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

B

Contact/Location: MIKE BOUCHER - NORPLAMA

F: (508)699-4017