


# **OIL ANALYSIS REPORT**

# FILMS DEPARTMENT SAMPLES

**8B** Component Gearbox

**TEXACO REGAL OIL R&O 220 (--- GAL)** 



Sample Rating Trend





### Recommendation

Resample at the next service interval to monitor.

All component wear rates are normal.

### Contamination

There is no indication of any contamination in the component. The amount and size of particulates present in the system is acceptable.

### **Fluid Condition**


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


			, section difficulty of	peorl depeorl mayers mayers		
SAMPLE INFOR	MATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0869579	WC0806383	WC0806443
Sample Date		Client Info		23 Apr 2024	08 Oct 2023	16 May 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	NORMAL	NORMAL
CONTAMINATIC	N	method	limit/base	current	history1	history2
Water		WC Method	>0.2	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>200	13	19	10
Chromium	ppm	ASTM D5185m	>15	0	0	0
Nickel	ppm	ASTM D5185m	>15	0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>25	0	8	1
Lead	ppm	ASTM D5185m	>100	0	<1	0
Copper	ppm	ASTM D5185m	>200	2	3	2
Tin	ppm	ASTM D5185m	>25	0	0	0
Vanadium	ppm	ASTM D5185m		0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	0	0	0	0
Barium	ppm	ASTM D5185m	0	0	0	0
Molybdenum	ppm	ASTM D5185m	0	0	0	0
Manganese	ppm	ASTM D5185m		0	<1	0
Magnesium	ppm	ASTM D5185m	0	0	0	0
Calcium	ppm	ASTM D5185m	0	0	8	5
Phosphorus	ppm	ASTM D5185m	0	344	282	249
Zinc	ppm	ASTM D5185m		9	0	0
Sulfur	ppm	ASTM D5185m	4046	4385	6362	5794
CONTAMINANT	S	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>50	5	9	8
Sodium	ppm	ASTM D5185m		2	2	2
Potassium	ppm	ASTM D5185m	>20	0	1	0
FLUID CLEANLII	NESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647	>20000	913	5355	1180
Particles >6µm		ASTM D7647	>5000	200	964	185
Particles >14μm		ASTM D7647	>640	17	104	16
Particles >21μm		ASTM D7647	>160	4	31	3
Particles >38µm		ASTM D7647	>40	1	1	0
Particles >71μm		ASTM D7647	>10	1	0	0
Oil Cleanliness		ISO 4406 (c)	>21/19/16	17/15/11	20/17/14	17/15/11
FLUID DEGRAD	ATION	method	limit/base	current	history1	history2


Contact/Location: KEVIN KETCHERSID - CRYIOW




## **OIL ANALYSIS REPORT**









VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	LIGHT	LIGHT	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
<b>Emulsified Water</b>	scalar	*Visual	>0.2	NEG	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG	NEG
FLUID PROPERT	TIES	method	limit/base	current	history1	history2


FLUID PROPERI	IES	method			history1	history2
Visc @ 40°C	cSt	ASTM D445	220	190	184	184

SAMPLE	IMAGES

Color

**Bottom** 









Certificate 12367

Laboratory Sample No.

Lab Number : 06159062 Unique Number : 10994485

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 : WC0869579

Received **Tested** Diagnosed

: 24 Apr 2024 : 25 Apr 2024

: 25 Apr 2024 - Don Baldridge

1301 WEST MAGNOLIA AVE

US 76367 Contact: KEVIN KETCHERSID kevin.a.ketchersid@sealedair.com

**SEALED AIR CORP - CRYOVAC DIVISION** 

T: (940)592-2111 F: (940)592-2513

IOWA PARK, TX

To discuss this sample report, contact Customer Service at 1-800-237-1369.

Test Package : IND 2 ( Additional Tests: PrtCount )

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation. Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)