

OIL ANALYSIS REPORT

Sample Rating Trend



NORMAL



RO NFDM [1958701] Machine RO 1PP03BB01

Bearing

MOBIL SHC 626 (--- QTS)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil


Fluid Condition

The condition of the oil is acceptable for the time in service.

May(2019 Nov(2019 0-c2020 Apr2021 0-c2021 0-c2022 Apr2023 0-c2023 Apr2024						
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0927475	WC0864049	WC0805883
Sample Date		Client Info		17 Apr 2024	15 Oct 2023	19 Apr 2023
Machine Age	hrs	Client Info		0	0	0
Oil Age	hrs	Client Info		0	0	0
Oil Changed		Client Info		N/A	N/A	N/A
Sample Status				NORMAL	SEVERE	ABNORMAL
CONTAMINATION	١	method	limit/base	current	history1	history2
Water		WC Method	>2	NEG	NEG	NEG
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>20	0	2	5
Chromium	ppm	ASTM D5185m	>20	0	0	0
Nickel	ppm	ASTM D5185m	>20	0	0	0
Titanium	ppm	ASTM D5185m		0	0	0
Silver	ppm	ASTM D5185m		0	0	0
Aluminum	ppm	ASTM D5185m	>20	0	<1	<1
Lead	ppm	ASTM D5185m	>20	0	<1	0
Copper	ppm		>20	0	4	9
Tin	ppm	ASTM D5185m	>20	0	<1	0
Vanadium	ppm	ASTM D5185m	7 2 3	0	0	0
Cadmium	ppm	ASTM D5185m		0	0	0
	ррпп		limit/base			
ADDITIVES		method	iiiiii/base	current	history1	history2
Boron	ppm	ASTM D5185m		0	0	0
Barium	ppm	ASTM D5185m		0	0	0
Molybdenum	ppm	ASTM D5185m		0	0	0
Manganese	ppm	ASTM D5185m		<1	<1	<1
Magnesium	ppm	ASTM D5185m		0	10	1
Calcium	ppm	ASTM D5185m		0	2	78
Phosphorus	ppm	ASTM D5185m		397	415	511
Zinc	ppm	ASTM D5185m		0	0	464
Sulfur	ppm	ASTM D5185m		119	256	5156
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>15	<1	<1	0
Sodium	ppm	ASTM D5185m		<1	0	1
Potassium	ppm	ASTM D5185m	>20	1	<1	<1
VISUAL		method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Yellow Metal	scalar	*Visual	NONE	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	LIGHT	NONE	▲ MODER
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>2	NEG	0.2%	NEG
Free Water	scalar	*Visual	_	NEG	▲ >10%	NEG
·55·38) Ray: 1	Jouran	riodal			ad By: MICHAE	



OIL ANALYSIS REPORT





GRAPHS Ferrous Alloys Non-ferrous Metals Viscosity @ 40°C ₹ 60



Certificate 12367

Laboratory

Sample No. : WC0927475 Lab Number : 06160876 Unique Number : 10996299

: WearCheck USA - 501 Madison Ave., Cary, NC 27513 Received : 25 Apr 2024 **Tested** : 26 Apr 2024

Diagnosed : 29 Apr 2024 - Don Baldridge

Test Package : IND 1

To discuss this sample report, contact Customer Service at 1-800-237-1369. * - Denotes test methods that are outside of the ISO 17025 scope of accreditation. EKLINE@LEPRINOFOODS.COM

LEPRINO FOODS-GREELEY

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012) Report Id: LEPGRE [WUSCAR] 06160876 (Generated: 04/29/2024 11:55:38) Rev: 1

Submitted By: MICHAEL VILLASENOR

1302 1ST AVE

GREELEY, CO

US 80631-5909

F: (970)347-5190

Contact: ERIC KLINE