

OIL ANALYSIS REPORT

Sample Rating Trend



Area NOT GIVEN [NU3419287] KAESER 1941 - CHEWY

Component Compressor

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition


The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UCH06175623	UCH06104482	
Sample Date		Client Info		29 Apr 2024	21 Feb 2024	
Machine Age	hrs	Client Info		10919	10093	
Oil Age	hrs	Client Info		6445	5619	
Oil Changed		Client Info		Changed	Not Changd	
Sample Status				NORMAL	NORMAL	
CONTAMINATION		method	limit/base	current	history1	history2
Water		WC Method	>0.05	NEG	NEG	
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0	0	
Chromium	ppm	ASTM D5185m	>10	0	0	
Nickel	ppm	ASTM D5185m	>3	0	0	
Titanium	ppm	ASTM D5185m	>3	0	0	
Silver	ppm	ASTM D5185m	>2	0	0	
Aluminum	ppm	ASTM D5185m	>10	0	0	
Lead	ppm	ASTM D5185m	>10	0	0	
Copper	ppm	ASTM D5185m	>50	3	1	
Tin	ppm	ASTM D5185m	>10	0	0	
Vanadium	ppm	ASTM D5185m		0	<1	
Cadmium	ppm	ASTM D5185m		0	0	
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m	5	0	0	
Barium	ppm	ASTM D5185m	5	<1	0	
Molybdenum	ppm	ASTM D5185m	5	0	0	
Manganese	ppm	ASTM D5185m		0	0	
Magnesium	ppm	ASTM D5185m	5	<1	0	
Calcium	ppm	ASTM D5185m	5	0	0	
Phosphorus	ppm	ASTM D5185m	150	87	99	
Zinc	ppm	ASTM D5185m	5	6	0	
Sulfur	ppm	ASTM D5185m	5000	3774	4210	
CONTAMINANTS	5	method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	1	<1	
Sodium	ppm	ASTM D5185m		2	3	
Potassium	ppm	ASTM D5185m	>20	<1	2	
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.51	0.04	0.076	



OIL ANALYSIS REPORT

VISUAL



	VISUAL		method	limit/base	current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE	NONE	
	Yellow Metal	scalar	*Visual	NONE	NONE	NONE	
	Precipitate	scalar	*Visual	NONE	NONE	NONE	
	Silt	scalar	*Visual	NONE	NONE	NONE	
	Debris	scalar	*Visual	NONE	LIGHT	NONE	
	Sand/Dirt	scalar	*Visual	NONE	NONE	NONE	
Apr29/24	Appearance	scalar	*Visual	NORML	NORML	NORML	
Apr2	Odor	scalar	*Visual	NORML	NORML	NORML	
	Emulsified Water	scalar	*Visual	>0.05	NEG	NEG	
	Free Water	scalar	*Visual		NEG	NEG	
-	FLUID PROPERT	IES	method	limit/base	current	history1	history2
	Visc @ 40°C	cSt	ASTM D445	46	45.1	45.1	
		2	mathad	limit/bass	ourropt	history1	history
	SAMPLE IMAGES	5	method	limit/base	current	history1	history2
Apr29/24 +	Color				•		no image
	Bottom						no image
	Non-ferrous Metal	S		Apr29/24 Apr20 Apr	Acid Number		
	40						
				Apr29/24	Feb 21/24		AC PC-AC
	Feb21/24				2513 CISCO AIR SYSTER 024 024 214 27TH 024 SACRAMENTO, 0 24 - Doug Bogart US 958 Contact: BARRY FRKOVIO barryfrkovich@ciscoair.co		

Contact/Location: BARRY FRKOVICH - UCCISSAC