

OIL ANALYSIS REPORT

Area **VISION 8000** HODGE 22102025003

Compressor

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor. Please specify the brand, type, and viscosity of the oil on your next sample.

Wear

All component wear rates are normal.

Contamination

There is no indication of any contamination in the oil.

Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

YSIS REPO	N	NORMAL				
				Ap:/d024		
SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		UHC0000748		
Sample Date		Client Info		18 Apr 2024		
Machine Age	hrs	Client Info		1330		
Oil Age	hrs	Client Info		546		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATION	٧	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	2		
Chromium	ppm	ASTM D5185m	>10	<1		
Nickel	ppm	ASTM D5185m		<1		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		<1		
Aluminum	ppm	ASTM D5185m	>25	2		
Lead	ppm	ASTM D5185m	>25	<1		
Copper	ppm	ASTM D5185m	>50	<1		
Tin	ppm	ASTM D5185m	>15	<1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		<1		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	nnm	ASTM D5185m		0		

Sample Rating Trend


Barium	ppm	ASTM D5185m	0	
Molybdenum	ppm	ASTM D5185m	<1	
Manganese	ppm	ASTM D5185m	<1	
Magnesium	ppm	ASTM D5185m	1	
Calcium	ppm	ASTM D5185m	7	
Phosphorus	ppm	ASTM D5185m	178	
Zinc	ppm	ASTM D5185m	21	
Sulfur	ppm	ASTM D5185m	578	

CONTAMINANTS	\$	method				history2
Silicon	ppm	ASTM D5185m	>25	2		
Sodium	ppm	ASTM D5185m		10		
Potassium	ppm	ASTM D5185m	>20	2		
FLUID DEGRADA	ATION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.33		





OIL ANALYSIS REPORT



	VISUAL		method	limit/base	e current	history1	history2
	White Metal	scalar	*Visual	NONE	NONE		
	Yellow Metal	scalar	*Visual	NONE	NONE		
	Precipitate	scalar	*Visual	NONE	NONE		
	Silt	scalar	*Visual	NONE	NONE		
	Debris	scalar	*Visual	NONE	NONE		
	Sand/Dirt	scalar	*Visual	NONE	NONE		
Apr18/24	Appearance	scalar	*Visual	NORML	NORML		
Ap	Odor	scalar	*Visual	NORML	NORML		
	Emulsified Water	scalar	*Visual	>0.1	NEG		
1	Free Water	scalar	*Visual		NEG		
	FLUID PROPERT	IES	method	limit/base	e current	history1	history2
	Visc @ 40°C	cSt	ASTM D445		42.3		
	SAMPLE IMAGES	;	method	limit/base	e current	history1	history2
Apri 8/24 +	Color				a. ()	no image	no image
	Bottom					no image	no image
	Ferrous Alloys			Apr18/24			
	Viscosity @ 40°C			Apr18/24 -	Acid Numb	ber	
	(J-0(b) 1X3 40 35 +7/8/1/dV +7/8/1/dV			Apr18/24	0.00 ++18/24 Hold Hold Hold Hold Hold Hold Hold Hold		Aort 8/24
Laboratory Sample No. Lab Number Unique Number Test Package discuss this sample report, Denotes test methods that	: 11035704 : IND 2 contact Customer Servic	Recei Teste Diagr ce at 1-8 7025 sco	ived : 20 ed : 21 nosed : 21 800-237-1368 ope of accred) May 2024 May 2024 May 2024 - 9. litation.	Wes Davis	H Cor Derik@atlantaairc T	ANTS PARK DR OSCHTON, GA US 30548 Itact: Derik Bray

Report Id: UCATLHOS [WUSCAR] 06184378 (Generated: 05/21/2024 16:20:18) Rev: 1

Contact/Location: Derik Bray - UCATLHOS