

## **OIL ANALYSIS REPORT**

Sample Rating Trend



### Machine Id **FS CURTIS SULF N - NUTRIEN AURORA (S/N N075B23022)** Component **Compressor**

Fluid PG-32 (2 GAL)

#### DIAGNOSIS

## Recommendation

Resample at the next service interval to monitor.

#### Wear

All component wear rates are normal.

#### Contamination

There is no indication of any contamination in the oil.

## Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.


SAMPLE INFORM	NATION	method	limit/base	current	history1	history2
Sample Number		Client Info		WC0811742		
Sample Date		Client Info		04 Jun 2024		
Machine Age	hrs	Client Info		4460		
Oil Age	hrs	Client Info		1967		
Oil Changed		Client Info		Not Changd		
Sample Status				NORMAL		
CONTAMINATIO	N	method	limit/base	current	history1	history2
Water		WC Method	>0.1	NEG		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	0		
Nickel	ppm	ASTM D5185m		0		
Titanium	ppm	ASTM D5185m		<1		
Silver	ppm	ASTM D5185m		0		
Aluminum	ppm	ASTM D5185m	>25	0		
Lead	ppm	ASTM D5185m	>25	0		
Copper	ppm	ASTM D5185m	>50	0		
Tin	ppm	ASTM D5185m	>15	1		
Vanadium	ppm	ASTM D5185m		<1		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m		0		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		<1		
Magnesium	ppm	ASTM D5185m		0		
Calcium	ppm	ASTM D5185m		0		
Phosphorus	ppm	ASTM D5185m		77		
Zinc	ppm	ASTM D5185m		0		
Sulfur	ppm	ASTM D5185m		496		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	3		
Sodium	ppm	ASTM D5185m		2		
Potassium	ppm	ASTM D5185m	>20	1		
FLUID DEGRADA	TION	method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045		0.36		



25 Jun4/24

\$

# **OIL ANALYSIS REPORT**



	VISUAL		method				history2	
	White Metal	scalar	*Visual	NONE	NONE			
	Yellow Metal	scalar	*Visual	NONE	NONE			
	Precipitate	scalar	*Visual	NONE	NONE			
1	Silt	scalar	*Visual	NONE	NONE			
	Debris	scalar	*Visual	NONE	NONE			
	Sand/Dirt	scalar	*Visual	NONE	NONE			
Jun4/24	Appearance	scalar	*Visual	NORML	NORML			
٦٢	Odor	scalar	*Visual	NORML	NORML			
	Emulsified Water	scalar	*Visual	>0.1	NEG			
	Free Water	scalar	*Visual		NEG			
	FLUID PROPERT	TIES	method	limit/base	current	history1	history2	
	Visc @ 40°C	cSt	ASTM D445		42.5			
	SAMPLE IMAGE	S	method	limit/base	current	history1	history2	
Jun4.24	Color					no image	no image	
	Bottom					no image	no image	
	und 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4			Jun4/24				
	Non-ferrous Metal	ls						
	2 +			Jun4/24				
	Viscosity @ 40°C			(B) 400 (B) 400 0.30 (B) 400 0.	Acid Number	)er		
	25 47274 UII			Jun4/24	Jun4/24			
Laboratory Sample No. Lab Number Unique Number Test Package	: WC0811742 : <mark>06200780</mark> : 11062903	Recei Teste	ed : 06 Jun 2024 nosed : 11 Jun 2024 - Jonathan Hester			FS-COMPRESSION CO, LL 203 AERO COUF GREENSBORO, N US 2740 Contact: Dallas Burcha s.burcham@fs-compression.co		

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

Contact/Location: Dallas Burcham - AIRGREWC

F: (336)605-9844