




# OIL ANALYSIS REPORT

Sample Rating Trend



Area  
**DENNIS T DELANEY**  
 Machine Id  
**[DENNIS T DELANEY] 003 536790-3**  
 Component  
**Starboard Main Engine**  
 Fluid  
**CHEVRON DELO 710 LS (--- GAL)**

## DIAGNOSIS

**Recommendation**  
 We advise that you check for possible coolant leak. We recommend an early resample to monitor this condition.

**Wear**  
 All component wear rates are normal.

**Contamination**  
 The high sodium (Na) level indicates the possible presence of salt water. Elemental level of sodium (Na) and/or boron (B) indicates a possible cooling water leak. Elemental level of silicon (Si) above normal indicating ingress of seal material.

**Fluid Condition**  
 The BN result indicates that there is suitable alkalinity remaining in the oil.

SAMPLE INFORMATION		method	limit/base	current	history1	history2
Sample Number	Client Info			<b>MW0070700</b>	MW0067904	MW0067898
Sample Date	Client Info			<b>01 Jun 2024</b>	01 May 2024	01 Apr 2024
Machine Age	hrs	Client Info		<b>76036</b>	75511	74743
Oil Age	hrs	Client Info		<b>76036</b>	75511	74743
Oil Changed	Client Info			<b>Not Chngd</b>	Not Chngd	N/A
Sample Status				<b>ABNORMAL</b>	NORMAL	ABNORMAL

CONTAMINATION		method	limit/base	current	history1	history2
Fuel	WC Method	>4.0		<b>&lt;1.0</b>	<1.0	<1.0
Water	WC Method	>0.1		<b>NEG</b>	NEG	NEG

WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>75	<b>16</b>	6	19
Chromium	ppm	ASTM D5185m	>8	<b>&lt;1</b>	0	1
Nickel	ppm	ASTM D5185m	>2	<b>0</b>	0	1
Titanium	ppm	ASTM D5185m	>3	<b>0</b>	0	<1
Silver	ppm	ASTM D5185m	>2	<b>0</b>	0	0
Aluminum	ppm	ASTM D5185m	>15	<b>2</b>	1	2
Lead	ppm	ASTM D5185m	>18	<b>6</b>	<1	8
Copper	ppm	ASTM D5185m	>80	<b>14</b>	6	20
Tin	ppm	ASTM D5185m	>14	<b>2</b>	<1	4
Vanadium	ppm	ASTM D5185m		<b>&lt;1</b>	<1	<1
Cadmium	ppm	ASTM D5185m		<b>0</b>	0	1

ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		<b>105</b>	42	140
Barium	ppm	ASTM D5185m		<b>0</b>	0	<1
Molybdenum	ppm	ASTM D5185m		<b>49</b>	45	51
Manganese	ppm	ASTM D5185m		<b>2</b>	1	3
Magnesium	ppm	ASTM D5185m		<b>14</b>	12	22
Calcium	ppm	ASTM D5185m		<b>3861</b>	3498	3492
Phosphorus	ppm	ASTM D5185m		<b>3</b>	17	19
Zinc	ppm	ASTM D5185m		<b>3</b>	21	12
Sulfur	ppm	ASTM D5185m		<b>3148</b>	2778	2406

CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>20	<b>▲ 22</b>	4	<b>▲ 29</b>
Sodium	ppm	ASTM D5185m	>75	<b>● 341</b>	7	<b>● 505</b>
Potassium	ppm	ASTM D5185m	>20	<b>2</b>	<1	4
Glycol	%	*ASTM D2982		<b>NEG</b>	NEG	NEG


INFRA-RED		method	limit/base	current	history1	history2
Soot %	%	*ASTM D7844		<b>0.9</b>	0.5	1
Nitration	Abs/cm	*ASTM D7624	>20	<b>8.6</b>	6.8	8.9
Sulfation	Abs/.1mm	*ASTM D7415	>30	<b>17.7</b>	14.8	18.3

FLUID DEGRADATION		method	limit/base	current	history1	history2
Oxidation	Abs/.1mm	*ASTM D7414	>25	<b>8.3</b>	7.0	8.4
Base Number (BN)	mg KOH/g	ASTM D2896	10.5	<b>9.96</b>	9.85	9.90




# OIL ANALYSIS REPORT


### ▲ Silicon (ppm)




### FT-IR (Direct Trend)




### Glycol Contamination



### Viscosity @ 100°C



### Glycol Contamination




VISUAL	method	limit/base	current	history1	history2
White Metal	scalar	*Visual	NONE	NONE	LIGHT
Yellow Metal	scalar	*Visual	NONE	NONE	NONE
Precipitate	scalar	*Visual	NONE	NONE	NONE
Silt	scalar	*Visual	NONE	NONE	NONE
Debris	scalar	*Visual	NONE	NONE	NONE
Sand/Dirt	scalar	*Visual	NONE	NONE	NONE
Appearance	scalar	*Visual	NORML	NORML	NORML
Odor	scalar	*Visual	NORML	NORML	NORML
Emulsified Water	scalar	*Visual	>0.1	NEG	NEG
Free Water	scalar	*Visual		NEG	NEG


FLUID PROPERTIES	method	limit/base	current	history1	history2
Visc @ 100°C	cSt	ASTM D445	15.5	14.9	14.6

### GRAPHS


#### Ferrous Alloys




#### Non-ferrous Metals



#### Viscosity @ 100°C



#### Base Number



Certificate L2367

Laboratory : WearCheck USA - 501 Madison Ave., Cary, NC 27513

Sample No. : MW0070700

Lab Number : 06202149

Unique Number : 11069610

Test Package : MAR 2 ( Additional Tests: Glycol )

Received : 06 Jun 2024

Tested : 11 Jun 2024

Diagnosed : 11 Jun 2024 - Sean Felton

INGRAM BARGE

900 S 3RD ST

PADUCAH, KY

US 42003

Contact: JEFF BISHOP

jeff.bishop@ingrambarga.com

T:

F: (615)695-3697

To discuss this sample report, contact Customer Service at 1-800-237-1369.

\* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)