

OIL ANALYSIS REPORT

Sample Rating Trend



Area

[12010] 9267053 (S/N 1839)

Compressor

Fluid KAESER SIGMA (OEM) S-460 (--- GAL)

DIAGNOSIS

Recommendation

Resample at the next service interval to monitor.

Wear

All component wear rates are normal.

Contamination

The amount and size of particulates present in the system are acceptable. There is no indication of any contamination in the oil.


Fluid Condition

The AN level is acceptable for this fluid. The condition of the oil is suitable for further service.

SAMPLE INFORM	IATION	method	limit/base	current	history1	history2
Sample Number		Client Info		KC125020		
Sample Date		Client Info		22 May 2024		
Machine Age	hrs	Client Info		1233		
Oil Age	hrs	Client Info		0		
Oil Changed		Client Info		N/A		
Sample Status				NORMAL		
WEAR METALS		method	limit/base	current	history1	history2
Iron	ppm	ASTM D5185m	>50	0		
Chromium	ppm	ASTM D5185m	>10	۰ <1		
Nickel		ASTM D5185m	>3	0		
Titanium	ppm			0		
Silver	ppm		>3	-		
	ppm	ASTM D5185m	>2	0		
Aluminum	ppm	ASTM D5185m	>10	2		
Lead	ppm	ASTM D5185m	>10	<1		
Copper	ppm	ASTM D5185m	>50	2		
Tin	ppm	ASTM D5185m	>10	<1		
Vanadium	ppm	ASTM D5185m		0		
Cadmium	ppm	ASTM D5185m		0		
ADDITIVES		method	limit/base	current	history1	history2
Boron	ppm	ASTM D5185m		0		
Barium	ppm	ASTM D5185m	90	25		
Molybdenum	ppm	ASTM D5185m		0		
Manganese	ppm	ASTM D5185m		0		
Magnesium	ppm	ASTM D5185m	90	70		
Calcium	ppm	ASTM D5185m	2	0		
Phosphorus	ppm	ASTM D5185m		4		
Zinc	ppm	ASTM D5185m		6		
CONTAMINANTS		method	limit/base	current	history1	history2
Silicon	ppm	ASTM D5185m	>25	0		
Sodium	ppm	ASTM D5185m		14		
Potassium	ppm	ASTM D5185m	>20	15		
Water	%	ASTM D6304	>0.05	0.017		
ppm Water	ppm	ASTM D6304	>500	177		
FLUID CLEANLIN	IESS	method	limit/base	current	history1	history2
Particles >4µm		ASTM D7647		2115		
Particles >6µm		ASTM D7647	>1300	706		
Particles >14µm		ASTM D7647	>80	44		
Particles >21µm		ASTM D7647	>20	8		
Particles >38µm		ASTM D7647	>4	1		
Particles >71µm		ASTM D7647	>3	1		
Oil Cleanliness		ISO 4406 (c)	>/17/13	18/17/13		
FLUID DEGRADA		method	limit/base	current	history1	history2
Acid Number (AN)	mg KOH/g	ASTM D8045	0.4	0.35		



OIL ANALYSIS REPORT



VISUAL		method	limit/base	current	history1	history2
hite Metal	scalar	*Visual	NONE	NONE		
ellow Metal	scalar	*Visual	NONE	NONE		
ecipitate	scalar	*Visual	NONE	NONE		
t	scalar	*Visual	NONE	NONE		
bris	scalar	*Visual	NONE	NONE		
nd/Dirt	scalar	*Visual	NONE	NONE		
pearance	scalar	*Visual	NORML	NORML		
lor	scalar	*Visual	NORML	NORML		
nulsified Water	scalar	*Visual	>0.05	NEG		
ee Water	scalar	*Visual		NEG		
LUID PROPER	TIES	method	limit/base	current	history1	history2
sc @ 40°C	cSt	ASTM D445	46	44.1		
AMPLE IMAGE	S	method	limit/base	current	history1	history2
lor					no image	no image
					Ū	Ŭ
ottom					no image	no image
tion					nomaye	no image
RAPHS						
errous Alloys				Particle Count	-	
			491,520			T ²⁶
iron chromium nickel			122,880	-		-24
			30,720			-22
			7,680 12	1		-20
			May22/24 s (per 1 ml			-18
lon-ferrous Meta	le		≥ <u>sa</u> ;ti 480	1	N	-16
			May222/24 1000 haticles (per 1 ml)			-18
copper					1	
tin			2 30	-		-12
				*******		10
			- 8	Berevernal	/	+10
			2/24	2		
			May22/2	4μ 6μ		6
íiscosity @ 40°C				^{6µ} Acid Number	14μ 21μ	38µ 71µ
Abnormal			(10,0,50 (10,0,40 (10,0,40 (10,0,0,40 (10,0,40) (10,0,40	Base		
Base			20.40 E 0.30	-		
Abnormal			je 0.20			
			N 0.10)		
				54+10		v (
			May22/24	May22/24		La com
			W	×		. W
arCheck USA - 50)1 Madisc	on Ave., Carv	, NC 27513		Μ	INALEX CORI
25020	Rece		7 Jun 2024			DDINGTON RI
02702	Teste) Jun 2024		WHITEHORSE	
70163	Diagr	nosed : 10	Jun 2024 - Don	Baldridge	0	US 0888
2					Contact: Se	ervice Manage

To discuss this sample report, contact Customer Service at 1-800-237-1369.

* - Denotes test methods that are outside of the ISO 17025 scope of accreditation.

Statements of conformity to specifications are based on the simple acceptance decision rule (JCGM 106:2012)

T: F:

Report Id: MINWHI [WUSCAR] 06202702 (Generated: 06/10/2024 13:01:08) Rev: 1

Contact/Location: Service Manager - MINWHI